

THE PLANT DISEASE REPORTER

Issued By

CROPS RESEARCH DIVISION

AGRICULTURAL RESEARCH SERVICE

UNITED STATES DEPARTMENT OF AGRICULTURE

Volume 43

Number 13

(Index Number)

Issued February 15, 1960



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Crops Research Division serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

THE PLANT DISEASE REPORTER

Issued by

MYCOLOGY AND PLANT DISEASE REPORTING SECTION

INDEX TO VOLUME 43

Prepared by Nellie W. Nance

Crops Research Division
Volume 43

Plant Industry Station, Beltsville, Maryland
Index Number

AUTHOR INDEX

- ADAMS, ROBERT E., 396
AFANASIEV, M. M., (1098)
AGENBROAD, OWEN, (131)
AKELEY, ROBERT, (198), (924)
ALCORN, STANLEY M., (1038)
ALEXANDER, LEONARD J., 55, (298)
ALLEN, ROSS M., (67), (309)
ALLEN, W. R., (380)
ANDERSEN, A. H., 1122
ANDREWS, E. A., 418
ARK, PETER A., 72, 79, 272, 276
ARMSTRONG, G. M., (509)
ARMSTRONG, J. K., 509
ATKINS, I. M., (165), (772)
ATKINS, J. G., (33)
AYCOCK, ROBERT, 283
- BAGGETT, JAMES R., 137
BAILEY, W. K., (360)
BAIN, DOUGLAS C., 318
BAINES, R. C., (1174)
BAKER, KENNETH F., 1032
BAKER, RALPH, (1024), (1209)
BALTER, JERRY, (1143)
BARHAM, W. S., (570)
BARKSDALE, T. H., (380)
BARNES, GEORGE L., 487
BEIER, ROBERT D., 477
BELL, MILTON R., (272)
BENNETT, C. W., 1188
BERAHA, L., (1031)
BILBRUCK, JAMES D., 936
BINDER, EUGENE, 972
BIRCHFIELD, WRAY, 41
BIRD, L. S., 86
BOLICK, JOSEPH H., 511
BONDE, REINER, (51), 198, (201), 924
BOOTH, JOHN A., 1038
BOOTHROYD, C. W., (446)
BORDERS, HUEY I., 549
BORLAUG, N. E., (500)
BOSWELL, S. B., (797)
BOWERY, T. G., (903)
BOYCE, JOHN S., Jr., 420
BRANDES, GORDON A., 201
BRANN, J. L., (719)
BRASE, K. D., 157, (380)
BRAVERMAN, SAMUEL W., 1050
- BREECE, JAMES R., 989
BRENTZEL, W. E., (169)
BRIDGMON, G. H., 163
BRIERLEY, PHILIP, 685
BRINKERHOFF, L. A., (90)
BROMFIELD, K. R., (855), (1154), 1160
BROWN, H. E., (1132)
BROWNING, J. ARTIE, 172, 768
BROYLES, JAMES W., 18
BRUEHL, G. W., 471
BURKHOLDER, WALTER H., 934
BUSHONG, J. W., 1178
BUTLER, EDWARD E., 187
- CALAVAN, E. C., 374, (528)
CALDWELL, RALPH M., (762), (1052)
CAMERON, J. W., (374)
CAMPBELL, W. A., (806), (1148)
CAMPBELL, W. P., 1266
CAPPELLINI, R. A., 177, 287
CÁRERO, MANUEL, (1198)
CARGO, W., (633)
CARPENTER, W. J., (745)
CARTWRIGHT, W. B., (1052)
CATION, DONALD, 394, (991)
CETAS, R. C., (201)
CHAMBERS, ALBERT Y., (981)
CHANG, YET-OY, 437
CHATTOPADHYAY, S. B., 1241
CHIU, REN-JONG, (85), 690
CHRISTENSEN, CLYDE M., (764)
CHRISTENSEN, J. J., (159)
CLARK, O. F., (968)
COFFMAN, FRANKLIN A., 772
COLE, JOHN R., 81, 658, 960
COLEMAN, OTTO H., (522)
COOPER, W. E., (368), 903
COVEY, R. P., (1271), (1287)
COWPERTHWAIT, W. G., (41)
CROSIER, WILLARD F., 616, 1013
CROSSAN, D. F., 543, 732, (1153)
CROZIER, J. A., Jr., 446
CUELLAR, ROGELIO, (1201)
CULP, THOMAS W., (827)
CUMMINS, GEORGE B., 411
CURL, E. A., 1245
- DALY, E. J., (431)

- DARLING, H. M., 239
DASGUPTA, C., (1241)
DAUBENY, HUGH A., 1253
DAVEY, C. B., (404)
DAVIDE, R. G., (872)
DAVIDSON, ROSS W., 806, 1148
DAVIS, R. A., (213), (1231)
DEAN, JACK L., 522
DEAN, LESLIE L., 131, 1108
DeVAY, J. E., (1124)
DeWOLFE, T. A., (830), (833), (1169), (1174)
DeZEEUW, D. J., 213
DICKENS, L. E., 1263
DOOLITTLE, S. P., 1153
DROPKIN, VICTOR H., (311)
DURAN, RUBEN, 880
DURBIN, RICHARD D., 922, (1191)

EARHART, R. W., 1184
EDWARD, J. C., 1191
EIDE, CARL J., (546)
EINSET, J., (264)
ELLETT, C. W., 835
ELLIOTT, EDWARD S., 461, (1282)
EPPS, JAMES M., 981
EPSTEIN, ABRAHAM H., 1078, 1195
ERWIN, D. C., 558

FELDMAN, J. M., (421), (422)
FELDMESSER, JULIUS, 261
FENNE, S. B., (155), 1264
FERRER, JUAN B., (1201)
FEZER, KARL D., 1287
FIELDING, M. J., (33)
FINLEY, A. M., (626), 629
FISCHER, GEORGE W., 172, (880)
FISHER, R. W., 878
FLANGAS, A. L., (1239)
FOOTE, F. J., (797)
FORD, R. E., (352)
FORSYTH, F. R., 5, (556)
FRAZIER, NORMAN W., 645
FRAZIER, W. A., (137)
FREISEN, H. A., (1266)
FREY, K. J., (768)
FRIDAY, JAMES, (394)
FRIDLUND, PAUL R., 594, 993
FULTON, ROBERT H., 270, 991
FUTRELL, M. C., 165, 772, 1198

GALINDO A., JORGE, (500)
GALLI, FERDINANDO, 66
GALLUN, R. L., (1052)
GARBER, M. J., (558)
GARBER, R. H., (584)
GARREN, KENNETH H., 665, 759
GASKIN, T. A., 24
GERDEMANN, J. W., (403), (1178)
GILLESPIE, W. H., 588
GILMER, R. M., (157), 264
GILL, D. L., 1274
GOLDEN, A. MORGAN, 979, 1103, 1196, 1258

GOOD, J. M., 236, (444), 1099
GOODE, M. J., (570)
GOTH, R. W., (898)
GOUGH, F. J., 169
GOULD, CHARLES J., 491
GRAHAM, DONALD P., 594
GRAHAM, J. H., 1114
GRANT, T. J., 1277
GRANTHAM, J. T., (1120)
GREEN, J. G., 172
GREEN, RALPH J., Jr., 814
GRIMM, G. R., (1277)
GRISSINGER, E. H., (1160)
GROGAN, C. O., (1124), 1132
GUENGERICH, H. W., (1095)
GUNKEL, W. W., (111), (719)
GUTHRIE, JAMES W., 423
GUYER, G. E., (213)

HAGLUND, W. A., 787
HALISKY, P. M., 584, 1084
HALL, WILLIAM E., 175
HANNAH, A. E., (849)
HANSON, EARLE W., 782
HARDING, PAUL R., Jr., 649, 893, 962
HARDISON, JOHN R., (619)
HARE, W. W., 152
HARRISON, M. D., (418)
HART, W. H., (989)
HARTLEY, CARL, 360
HARTWIG, EDGAR E., 504, (946)
HARVEY, JOHN M., 889
HAWKSWORTH, FRANK G., 109
HAYSLIP, NORMAN C., 818
HEAD, ERNEST E., (918)
HEGGESTAD, HOWARD E., 682
HENDERSON, W. J., (1263)
HENNEBERRY, T. J., (494)
HENNEN, JOE F., 168
HENNING, ROBIN G., 298
HIBBEN, CRAIG R., 1137
HILDEBRAND, E. M., 712, 715, 1070
HOBBS, C. D., (772)
HOCKEY, J. F., 804
HOLLIS, J. P., 33
HOOKER, A. L., 337
HOOKER, W. J., (633)
HOPPE, PAUL E., 1053
HOPPER, BRUCE E., (47)
HORN, N. L., (947)
HORNE, L., (1120)
HOUGAS, R. W., (144)
HOUSTON, B. R., (1084)
HSL, C. H., 595
HUBER, D. M., 626
HUTCHINSON, MARTIN T., 801, (972)
HYCHE, L. L., (1245)
HYRE, R. A., 51, 295

INMAN, R. E., 536
IVANOFF, S. S., 180

- JACKSON, C. R., 98
 JANICK, JULES, 413
 JENKINS, LEE, 1095
 JENKINS, S. F., (424)
 JENKINS, W. R., (791), (1231)
 JENSEN, HAROLD J., 253
 JOHAM, H. E., (86)
 JOHNSON, BARBARA, (51)
 JOHNSON, HOWARD W., 1016, 1268
 JOHNSON, LEANDER F., 1059
 JOHNSON, W. H., (732)
 JOHNSTON, C. O., (159), (607), 998
 JONES, J. P., (439)
 JONES, JOHN P., (659), 946
 JORGENSEN, HANS, (184)
 JYLKKA, EDWARD W., (519)
- KANTZES, J. G., 1231
 KARLE, HARRY P., 520
 KEENER, PAUL D., 287, 966
 KENNEDY, B. W., 90
 KILPATRICK, R. A., 1111
 KING, CLAUDE L., 1256
 KING, THOMAS H., (787)
 KINGSOLVER, C. H., (173), (601), (855),
 (1154, (1160)
 KLINGNER, A., (422)
 KLOTZ, L. J., 830, 833, (1169), 1174
 KNUTSON, KENNETH, 546
 KOBLE, ADAM F., 14
 KOIKE, H., (253)
 KOLP, B. J., (163)
 KOMANETSKY, MICHAEL, (168)
 KRAMER, C. L., 511
- LAHR, K. A., (165)
 LAMBERT, ROGER G., (1117)
 LAUTZ, W. H., 48
 LAVIOLETTE, F. A., (334)
 LEACH, CHARLES M., 619, 622
 LEAPHART, CHARLES D., 809
 LEAR, BERT, 314, 459
 LETT, LEONARD, (368)
 LEUKEL, R. W., (348)
 LEWIS, G. D., 1079
 LIDER, L. A., (314)
 LIGHTLE, P. C., (1288)
 LINE, ROLAND F., (546)
 LINFORD, M. B., (323), 987
 LOCKHART, C. L., 102
 LOMBARD, FRANCES F., (1148)
 LORENTZ, PAUL, (685)
 LOWNSEBURY, B. F., 913, 918
 LUCAS, G. B., (152), (753)
 LUND, STEVE, (1122)
 LUTEY, R. W., 1287
- MacCARTHY, H. R., 115
 MACHACEK, J. E., 343
 MACK, G. L., (719)
 MAIER, CHARLES R., 1027, 1048, (1063)
- MALOY, OTIS C., 929
 MANKAU, R., 968, 1230
 MARLATT, ROBERT B., 67, 309, 741,
 1019, 1075
 MARSH, PAUL B., (1042)
 MARSHALL, N. L., (1245)
 MARTIN, J. P., (253)
 MARTIN, W. J., (947)
 MARTINEZ S., EUGENIO, (500)
 MARUZZELLA, JASPER C., 1143
 MATKIN, O. A., (1032)
 MAUNG, M. O., 791
 MAY, CURTIS, 496, 565, 955
 McANELLY, CHARLES W., (437)
 McEWEN, F. L., (1219)
 McFARLANE, J. S., (1188)
 McGLOHON, NORMAN E., 22
 McGREW, JOHN R., 385, 695
 McKEEN, COLIN D., 729
 McKINNEY, H. E., (448)
 McKINNEY, H. H., (471)
 McKITTRICK, ROBERT T., (67), (1073)
 McNAMEE, J. M., (41)
 McVEY, DONALD V., 403
 MERRIAM, DONALD, (198), (924)
 MICHEL, L. J., (464), (1010)
 MILBRATH, J. A., 705
 MILLER, JAMES D., 159
 MILLER, LAWRENCE I., (353)
 MILLER, P. M., 646
 MILLER, P. W., 401, 996, 1130, 1247
 MILLER, PAUL R., 2
 MILLIKAN, D. F., 82
 MILLS, I. K., 1098
 MINTON, NORMAN A., 47
 MINZ, G., 1051
 MITCHELL, J. W., 431
 MITCHELL, JOHN T., (918)
 MOORE, E. LEON, (682)
 MOORE, J. N., (567)
 MOORE, P. W., (1169)
 MOREY, DARRELL D., 578
 MORGAN, L. W., (70)
 MORGAN, O. D., 660, 755
 MORRIS, R. C., (942)
 MORTON, DONALD J., 243, 248, (1073)
 MOSEMAN, JOHN G., 1000, 1004
 MURAKISHI, HARRY H., 552
 MYERS, RONALD F., 311
- NATTI, JOHN J., 640, 735
 NEELY, DAN, 498
 NEWHALL, A. G., 111
 NEWTON, R. C., (1114)
 NICKESON, R. L., (133)
 NIEDERHAUSER, J. S., (500)
 NIXON, R. R., (1120)
 NORMAN, G. G., 1120
 NORMAN, PAUL, (1277)
 NORTON, DON C., 227
 NYLAND, GEORGE, (106), (520)

- ORELLANA, R. G., 363
ORILLO, F. T., (562)
OSTAZESKI, STANLEY A., 350

PADY, S. M., 159, 607
PALMER, JOHN G., 494, (496), (565), (955)
PALT, J., 221
PANZER, JAMES D., 133, (477), 697, 845
PAPAVIZAS, G. C., 404
PARKER, K. G., 380
PATINO, GRACIANO, (698)
PAVGI, M. S., 1239
PEET, CLYDE E., (855), (1154), (1160)
PEPPER, EVAN H., 920
PETERSEN, L. J., 1204, 1209
PETERSON, CLARENCE J., Jr., 423
PETERSON, GLENN A., (14)
PETERSON, ROGER S., (109), 1227
PETURSON, BJORN, (5), 556
PLAKIDAS, A. G., 668, 688
PON, D. S., 173
PONTIS, R. E., 421, 422
PORDESIMO, A. N., (562)
PORTER, K. B., (165)
POTTER, H. S., 633
POUCHER, C., (41)
POWERS, H. R., Jr., 762
PRESTON, W. H., Jr., (431)
PRIDHAM, T. G., (431)
PROVVIDENTI, ROSARIO, 821, (1219)
PURDY, LAURENCE H., 9

RAABE, ROBERT D., 1270
RACKHAM, ROBERT L., (970), 1023
RAEDER, J. M., (423)
RAMSEY, G. B., 1031
RANKIN, HARVEY W., 70, 444
RATCLIFFE, T. J., (236)
REBOIS, R. V., (261)
REDDY, CHARLES S., 872
REED, J. P., (801)
REYES, LUCAS, (1198)
REYNOLDS, H. T., (558)
RHOADES, HARLAN L., 323, (987)
RICH, AVERY E., (201), 540
RICH, SAUL, 118, 834
RICHARDS, M. C., (540)
RICHARDS, W. R., (849)
RIGGS, R. D., (909)
ROANE, C. W., (1000)
ROBERTS, D. A., 352
ROGERS, MARLIN N., 1236
ROGERSON, C. T., (745)
ROSEN, H. R., 172, 1176
ROSS, J. P., 1284

SAKSENA, H. K., 670
SALIBE, ARY A., 1081
SAMSON, R. W., (201)

SASSER, J. N., (903)
SAYRE, R. M., (439)
SCHAFFER, JOHN F., 1052
SCHIEBER, EUGENIO, 673
SCHLEDER, E. GORDON, 329
SCHMID, GUSTAV, 380
SCHMITT, C. G., (173), 601, (855)
SCHNATHORST, W. C., (584)
SCHNEIDER, C. L., 681
SCHREIBER, LAWRENCE R., 814
SCHROEDER, W. T., 719, (821), 1219
SCHUSTER, M. L., 27, 439
SCOTT, D. H., (385), (567), (1091)
SHAFFER, J. F., (762)
SHAFFER, THELMA, (1103), 1196, (1258)
SHARP, E. L., 12
SHARPE, E. S., (431)
SHAW, LUTHER, 753
SHER, S. A., 797
SHIH, S. C., 1282
SIEGEL, M. R., (732)
SILL, WEBSTER H., Jr., 85, 690, 1256
SIMONS, JOHN N., 710
SIMONS, M. D., 464, 1010
SIMPSON, MARION E., 1042
SINCLAIR, J. B., 947, 949
SINGH, B. B., (670)
SKIVER, R. E., (1204)
SLYKHUIS, J. T., 849
SMALE, B. C., (431)
SMART, GROVER C., Jr., 1212
SMELTZER, D. G., (1084)
SMITH, A. L., (368)
SMITH, D. T., (352)
SMITH, HARLAN E., 368
SMITH, M. A., (1031)
SOLEL, Z., (1051)
SOOST, R. K., (374)
SOWELL, GROVER, Jr., 193
SPRAGUE, RODERICK, 871
STACHWICK, G. T., (633)
STAFFELDT, EUGENE E., 506, 1063, 1150
STALL, ROBERT E., 725, (818)
STANDIFER, MARIE S., 983
STANWAY, V. M., (1132)
STEELE, A. E., (236), (1099)
STEMBRIDGE, GENE, 1091
STEWART, JOSEPH K., (741)
STODDARD, E. M., (646)
STOLZY, L. H., 1169
STONE, WILLIAM J., 659, 827
STRIDER, D. L., (424)
SUDDS, R. H., (483)
SWENSON, K. G., (705)
SYLVESTER, E. S., (125)

TAMBURO, S. E., (396)
TARJAN, A. C., 451
TAYLOR, A. L., (261)
TAYLOR, DONALD P., 329, 664

- TAYLOR, E. A., (494)
 TAYLOR, JACK, 654
 TETER, NORMAN C., 353
 THOMAS, C. A., 416, 1250
 THOMAS, HAROLD E., 106, (645)
 THOMASON, IVAN J., 448, 580, (970)
 THOMPSON, HUGH E., (511)
 THOMPSON, JAMES P., (72), 79, (276)
 THORNBERRY, H. H., 371
 THORNTON, ROBERT E., (131)
 TIMIAN, R. G., (14), 1105
 TOKO, H. V., (471)
 TOLER, R. W., 1201
 TOMPKINS, C. M., 1034, 1036, 1067
 TOOLE, E. RICHARD, (806), 942, (1288)
 TROUTMAN, JOSEPH L., 155
 TRUE, R. P., (588)
 TUCKER, HENRY, (741)
 TUIITE, JOHN, 470
 TULLIS, E. C., (477)
 TUNIS, W. D., 483

 ULLSTRUP, A. J., 334
 UNDERWOOD, J. F., (601), 1154, (1160)

 VALDEZ, R. B., 562
 Van GUNDY, S. D., 970
 VANTERPOOL, T. C., 475
 VARNEY, E. H., 567
 VAUGHN, JOHN R., (437), (1023)
 VEATCH, COLLINS, (1282)
 VERRALL, A. F., 1288

 WAGNON, H. K., (534)
 WALDO, G. F., (1130)
 WARD, C. H., (352)
 WATERS, E. C., (1013)
 WEATHERS, L. G., 528

 WEBB, R. E., 144
 WEBSTER, O. J., 348
 WEIHING, J. L., 172, (536)
 WELLS, A. L., (213)
 WELLS, HOMER D., 834
 WELLS, J. C., (903)
 WERNHAM, C. C., 863
 WESTER, HORACE V., 519
 WESTER, R. E., 184
 WHITEHEAD, MARVIN D., 172, 1124, 1132
 WHITLOCK, L. S., (33)
 WILCOXSON, ROY D., (1124), 1271
 WILES, ALFRED B., 365
 WILLIAMS, E. B., (413)
 WILLIAMS, HAROLD E., 534
 WILLIAMS, N. D., (169)
 WILLIS, W. W., 745
 WILSON, CHARLES L., 964
 WILSON, JOHN H., Jr., (753)
 WILSON, V. E., (131), (1108)
 WINSTEAD, N. N., 424, 570, 909, 1280
 WISMÉR, C. A., (253)
 WOLTZ, S. S., (98)
 WONG, PO-PING, (830)
 WOOD, JESSIE I., 1052
 WRIGHT, W. R., (1031)
 WYLLIE, THOMAS D., 764, 898

 YARWOOD, C. E., 125, 129, 390, 536, 841
 YERKES, WILLIAM D. Jr., 500
 YOUNG, H. C., Jr., 1124

 ZAUMEYER, W. J., 698
 ZENTMYER, GEORGE A., 1229
 ZILLINSKY, F. J., (849)
 ZUBER, M. S., (1124), (1132)
 ZUCKERMAN, BERT M., 803

SUBJECT INDEX

- Abies grandis: drought injury, 809
 AC 23441, 737
 ACCO, 81
 Acer negundo: Septoria aceris, 1st rept.
 from Illinois, 498
 --- pensylvanicum: Verticillium albo-
 atrum, 1st rept. on this host
 (New York), 1137
 Aceria tulipae, 1256, vector of wheat
 streak mosaic virus, 1st rept. in
 Idaho, 423
 Acetate derivatives, 616
 Acremoniella, 1015
 Acremonium aranearum associated with
 Puccinia graminis f. sp. tritici, 173
 Acrobeles spp., associated with crown
 blight of cantaloupe, 1073
 Acrophialophora nainiana, inhibits growth
 of fungi in agar, 1191
 Acti-dione, 616, 1250

 Acti-dione-glyodin, 395
 Acti-dione PM, 494, 1176
 Acti-dione-S, 552
 Actispray, 539
 Aegilops squarrosa: Meloidogyne incog-
 nita var. acrita, 25
 Agave attenuata: Armillaria mellea, 1st
 rept. on this host (Calif.), 1270
 Agri-mycin, 401, 549, 616
 Agri-mycin 100, 81
 Agri-mycin 500, 735
 Agri-Strep, 81, 193, 737
 Agrobacterium tumefaciens, 81, 276, 715
 Agrostis scabra: Puccinia conspicua, 411
 Agrox, 348
 Alabama, 47, 943, 999, 1011, 1245
 Albamycin sodium salt, 404
 Alberta, 1266
 Albinism, in Citrus, 922
 Aldrin, 1133

- Alfalfa (see also *Medicago sativa*):
 anthracnose, 352, 1265; black leaf spot, 501; black stem, 1265; brown leaf spot, 1051; crown wart, 619; damping-off, 1178; downy mildew, 501, 1265; effect of residue on bean root-rot pathogens, 1027; grown in association with oats, effect on each crop, 1117; lack of nodulation, 1265; leaf spots, 1265; mosaic (virus), effect on root development of cuttings, 697; *Oidiopsis taurica*, 223; root rot, 1178; rust, 501; stem rot, 1265; survey of root deterioration in Oregon, 622
- Alternaria* sp(p.), 741, 871, 889, 930, 948, 1191
 --- capsule mold and leaf spot of *Ricinus communis*, 827
 --- cucumerina, 732
 --- fasciculata, 189
 --- leaf spot, of tomato, 55
 --- macrospora, 1051
 --- ricini, 827
 --- solani, 55, 187, 202, 502, 503, evidence of existence of physiologic races of, 298
 --- tenuis, 187, 188, 299, 396, 963, 1013, 1111, 1143, 1194
 --- zinniae, 670
- Alysicarpus vaginalis*: leaf spot, 350
- Amaryllis* sp.: leaf spot, reduction by spraying, 1272
- American Cyanamid 18133, 1097
- Amino acid content, of beans, 437
- Aminotriazole, 1266
- Amobam, 399
- Andropogon* sp(p.): nematode species associated with, 229
- Angiopsora zeae*, 1239
- Angular leaf spot, of bean, 502
- Anisomycin, 494
- Announcements: "Design for Abundance", color film story of plant diseases, 288; Results of 1958 fungicide tests, 595
- Anthracnose, of alfalfa, 352, 1265; apple, 920; bean, 502, 1265; cantaloupe, 1265; cotton, 500; cucumber, 1265; melon, 503; rose, 1176; tobacco, 1264; tomato, 58, 719, 732; *Trifolium* spp., 1265; watermelon, 503, 570
 --- northern, of red clover, 782
 --- stem, of lima bean, 732
- Antibiotic treatments, of pecan nursery tree roots for control of crown gall, 81
- Antibiotics, from garlic for control of certain diseases of plants, 276; seed treatments for control of grain smuts, 616
- Anticarie, 9, 880, 881
- Antirrhinum majus*: *Cercospora antirrhini*, 1st rept. on this host in United States (Florida), 511
- Anuraphis persicae-niger*, 992
- Aphanomyces raphani*, 834
- Aphelenchoides* spp., 42, 43, 44, 238, 331
- Aphelenchus* spp., 42, 43, 44, 238, associated with crown blight of cantaloupe, 1073
 --- avenae, 42, 43, 44, 323, 331
- Aphis fabae*, 707
 --- gossypii, 1274
- Apparatus, for study of mutual effects of root exudates on plants, 1117
- Apple (see also *Malus sylvestris*): anthracnose, 1st rept. from Michigan on this host, 920; black rot, 654; *Botryosphaeria* rot, 654; *Botrytis* rot, 654; bud mutations, virus-like symptoms, 264; calyx-end rot, 804; cedar rust, 654; control of rots by treatment of field boxes, 396; diseases in Georgia, 654; frog-eye leaf spot, 655; mosaic virus, 126; powdery mildew, 654, treatments for, 1263; rubbery wood virus, 1st rept. on this host in United States (New York), 157; scab, 540, fungicides for control of, 483
- Apricot: gumboil disease, 106; powdery mildew (*Sphaerotheca pannosa*), 1st rept. on this host in Argentina, 421
- Arachis hypogaea*: *Belonolaimus longicaudatus*, 49
- Aramite, 483
- Arasan, 549, 1016, 1133
- Arasan 15, 348
- Arasan 75, 1250
- Arasan S.F.M., 348
- Arceuthobium americanum*, 109
 --- campylopodum, 594
 --- f. cyanocarpum, 109
 --- vaginatum f. cryptopodum, 109
- Argentina, 421
- Aristida oligantha*: nematode species associated with, 229
 --- pansa: *Pythium graminicola*, 871
 --- purpurea: nematode species associated with, 229
- Arizona, 67, 287, 309, 411, 741, 871, 966, 1019, 1038, 1073, 1250
- Arkansas, 90, 172, 909, 964, 999, 1176, 1288
- Armillaria mellea*, 1229, 1270; on almond, 520; peach, 520
- Arthrobotrys* spp., 968
 --- arthrobotryoides, 968
 --- conoides, 968
 --- dactyloides, 968
 --- oligospora, 968, 969
- Ascochyta gossypii*, 369, 500

- hordei, 835
- imperfecta, 785
- leaf spot, of *Trigonella foenum-graecum*, 1051
- sorghi, 461
- sorghina, 336
- Asparagus: rust, efficacy of systemic compounds in the control of, 552
- Aspergillus* spp., 188, 760, 889, 931, 1191
 - candidus, 470, 767
 - carbonarius, 1043
 - flavus, 470, 922
 - glaucus, 470, 767
 - japonicus, 1045
 - luchuensis, 1042
 - niger, 405, 1042
 - ochraceus, 470, 1045
 - phoenicis, 963
 - tamaris, 922
 - ustus, 1045
 - violaceo-fuscus, 1045
- Asphalt varnish-fungicide mixtures, effect on growth in pure culture of fungi in tree decay, 955
- Aureomycin, 549
 - hydrochloride, 404
- Avocado: *Pratylenchus vulnus*, 797
- Bacterial blast, of *Juglans mandshurica*, 272
- Bacterial blight, of bean, 133, 502; cotton, 86; *Juglans regia*, 401; red clover, 786
 - canker, of tomato, 66
 - leaf spot, of *Ricinus communis*, 827
 - rot, of organ-pipe cactus, 496; saguaro, 496
 - seed-piece decay, of potato, 543
 - spot, of tomato, 193, 725, 1265
 - stripe, of *Sorghum*, 335
 - wilt, of bean, 27; cantaloupe, 1265; corn, 1264; cucumber, 1265
- Balsania strangulans*, 462
- Banana: diseases in Panama, 1202
- Barium oxide, 940
- Barley: covered smut, seed treatment trials, 343; crown rust, 1st rept. on this host in Minnesota, 1287; effect of residue on bean root-rot pathogens, 1027; *Erysiphe graminis* f. *hordei* races in West Virginia, 1282; leaf spot (*Ascochyta hordei*), 1st rept. in Ohio, 835; leaf rust, 611, 780, physiologic races of, in United States, 1000; loose smut, 1122, survival of, in seed, 1287; *Meloidogyne incognita* var. *acrita*, 25; nematode species associated with, 229, 331; net blotch, 780, powdery mildew, 780, (*Erysiphe graminis* f. sp. *hordei*), strain dynamics of, 1004; scab, 1264; scald, 777, 1264; *Septoria* leaf blotch, 1st rept. on this host in Texas, 777; *Septoria passerinii*, 14; smut, 501, 616; spot blotch, 1105; stem rust, 611; stripe rust, 168; yellow dwarf virus, 849, 1264
- Basal sheath and stalk rot, of *Lolium multiflorum*, 834
- Bayer 22555, 881
- Bean (see also *Phaseolus*): absorption and translocation of the F-17 antirust complex, 431; angular leaf spot, 502; anthracnose, 502, 1265, control by extract of garlic spray, 276; bacterial blight, 133, 502, control by extract of garlic spray, 276; bacterial wilt, 27; *Belonolaimus longicaudatus* 49, pathologic histology of injured roots, 983; circular leaf spot, 502; *Corynebacteria*, effect of thiamine and temperature upon pigmentation and growth of, 439; diseases in Panama, 1202; effect of storage of, treated with fungicides and insecticides, 213; *Fusarium* root rot, 437, microbial associations in, 929; halo blight, 502; mosaic (virus), 131, 133, 502, 1265, new strain in Idaho, 1108; *Rhizoctonia solani*, 404; root rot, 626, 1265, effect of crop residues on, 1027, effects of gibberellin and fungicides on, 1023; rust, 431, 502, associated with smog damage, 129, control by extract of garlic spray, 276; *Sclerotinia sclerotiorum* in Argentina, 421; sclerotinose, 502; stem rot, 502; tobacco mosaic virus, infection reduces smog damage, 129, susceptibility increased by soaking in water, 841; tobacco necrosis virus, 390, 640; yellow bean mosaic (virus), 1221
 - broad, see *Vicia faba*
 - lima: downy mildew, 184; stem anthracnose, 732
- Beet, sugar: curly top (virus), 126, 681; *Heterodera schachtii*, influence of germinating seed on emergence of larvae from cysts, 1103; *Heterodera schachtii*, host-parasite relationship of various plants, 1258; savoy disease (virus), 681; virus yellows, effect on seed production, 1188
- Belonolaimus* sp(p.), 42, 43, 44, 237
 - gracilis, 236, 983
 - longicaudatus, 47, 983, increase on plant species in artificially inoculated soil, 48, preplant and postplant applications of 1,2-dibromo-3-chloropropane for control of, 903
- Bemisia inconspicua*, 712
 - tabaci, 712
- Bidens* sp.: *Belonolaimus longicaudatus*, 49

- Bioquin 1, 660
 Biphenyl, 649
 Bisporea sp., 871
 Black leaf spot, of alfalfa, 501
 Black leg, of potato, 1265
 Black patch, of red clover, 786
 Black ring, of *Panicum latifolium*, 462
 Black root rot, of cotton, 506; red globe radish, 834
 Black rot, of apple, 654; sweetpotato, 1265
 Black scorch, of dates, 963
 Black shank, of tobacco, 755, 1264
 Black spot, of rose, 1176
 Black stem, of alfalfa, 1265; *Delphinium ajacis*, 934; red clover, 784
 Blight, of pepper, 502; *Tagetes erecta*, 670
 Blight, southern, of peanut, 444; pepper, 444; tobacco, 444; tomato, 444
 Blossom-end rot, of tomato, 193
 Blueberry, see *Vaccinium*
 Blue mold, of Citrus, 649; tobacco, 1264
 Blue stem, of sweetpotato, 1265
Boleodorus spp., 331
 Boll rot, of cotton, 500
 Book reviews: Maatalouden Sanakirja -- Lantbrukets Ordbok -- Landwirtschaftliches Wörterbuch -- Agricultural Dictionary, by Liisa Mali, 1052; Plant pathology: problems and progress 1908-1958, 1213
 Bordeaux mixture, 491, 539, 562, 658, 670, 754, 873
 Bordeaux sprays, 77
Botryosphaeria ribis, 396, 654, 1229
Botryotinia ricini, 363, 827
Botrytis sp(p.), 363, 394, 760
 --- *allii*, 276, 1143
 --- *cinerea*, 187, 188, 396, 646, 654, 889
Bouteloua arenosa: rust, 500
 --- *aristoides*: rust, 500
 --- *curtipendula*: nematode species associated with, 229; *Puccinia vexans*, 411, rust, 500
 --- *gracilis*: rust, 500
Brachycladium spiciferum, 871
 Brazil, 66, 1081, 1229
Bremia lactucae, 503
 British Columbia, 115, 803, 1004, 1253
 Broccoli: downy mildew, 735
Bromus spp.: head smut, 616
 --- *catharticus*: head smut, 1268; nematode species associated with, 229
 --- *rubens*: *Fusarium acuminatum*, 871
 F. poae, 871; *Pythium graminicola*, 871
 Brown leaf spot, of *Medicago sativa*, 1051
 Brown root rot, of wheat, 175
 Brown rot and cracking, of sweet cherry, 394
 Brown spot, of celery, 1079; corn, 18, 500; soybean, 287
 --- --- needle blight, of *Pinus strobus*, 420
 BSM11, 881
 Buckman BSM-11, 343
 Bunt, of wheat, 9, 343
 Cabbage: *Belonolaimus longicaudatus*, 49; diseases in Panama, 1202; effect of seed treatment with streptomycin on Golden Acre seedlings, 549; *Sclerotinia sclerotiorum* in Argentina, 421
 --- varieties and clubroot-resistant lines: reaction to root-knot nematodes, 1280
 Cacao: diseases in Panama, 1202
 Cachexia, on lemon varieties in California, 528
 Calabacitas: cotton leak, 502
 Calcium, 102, 964
 --- arsenate, 960
 --- carbonate, 72
 --- chloride, 193
 California, 72, 79, 106, 125, 129, 187, 272, 314, 378, 390, 411, 418, 448, 459, 520, 528, 558, 580, 584, 639, 645, 649, 797, 800, 830, 833, 841, 889, 893, 913, 918, 962, 968, 969, 970, 979, 989, 999, 1005, 1011, 1032, 1034, 1036, 1067, 1084, 1103, 1169, 1174, 1188, 1196, 1229, 1230, 1250, 1270
Callistemon viminalis: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
 Calyx-end rot, of apple, 804
Camellia sasanqua: *Cercospora theae*, 668
 Canada, 343, 475, 556
 Cantaloupe: anthracnose, 1265; bacterial wilt, 1265; *Belonolaimus longicaudatus*, 49; diseases in Panama, 1202; leaf spot, 732; *Meloidogyne incognita* acrita control in Maryland with DBCP-fertilizer mixtures, 1231; nematodes, 1265; powdery mildew, 67; root-knot nematodes, 448; scab, 1st rept. in North Carolina in the field, 424
Capsicum frutescens: *Belonolaimus longicaudatus*, 49
 Captan, 90, 261, 284, 397, 483, 491, 496, 539, 544, 646, 660, 745, 873, 881, 889, 955, 1133, 1176, 1205, 1211
 Captan 75W, 558
 Captan-sticker, 395
 Carbon tetrachloride, 115
Carnegiea gigantea: bacterial rot, 496; seedling rot, 1038
 Carrot: *Belonolaimus longicaudatus*, 49; chemical dips for control of decay, 741; diseases in Panama, 1202; leaf spot, 503; *Oidiopsis taurica*, 223; rots, 503; *Sclerotinia sclerotiorum* in Argentina, 421
Carthamus tinctorius: *Fusarium* infection

- of roots in acid soil, 416; mosaic (virus), 501; root rot, 501; rust, 501, effect of storage time and temperature on control of, by volatile mercury compounds, 1250
- Carya illinoensis*: crown gall, 81; scab, 487, 658
- Caryopteris clandonensis*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- Cassava: diseases in Panama, 1202
- Cassia tomentosa*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- Castilleja sessiliflora*: *Cronartium coleosporioides*, 1st rept. on this host (S. Dak.), 1227
- sulphurea: rust, 1227
- Castorbean, see *Ricinus*
- Catalpa speciosa*: *Microsphaera alni* var. *vaccinii*, 1st rept. from Illinois, 498
- Catanaria anguillulae*, 969
- Catechol, 1211
- Ceanothus thyrsiflorus*: *Armillaria mellea*, 1st rept. in U.S. (Calif.), 1270
- Celery: brown spot, effect of temperature and crop rotation on, 1079; pink rot (*Sclerotinia sclerotiorum*) a new host in Argentina, 421
- Cenchrus echinata*: nemas recovered from "pulled and treated" areas, 44
- pauciflorus: *Meloidogyne incognita* var. *acrita*, 25
- Cephalobus* spp., associated with crown blight of cantaloupe, 1073
- Cephalosporium* sp., 969
- *apii*, 1079
- *gramineum*, 12, 13
- Ceratocystis fagacearum*, 588, 936, 1288
- *fimbriata* f. *platani*, 565, 955
- *ulmi*, 511, 1078, 1176, 1195
- Ceratostomella paradoxa*, 963
- *ulmi*, 1143
- Cercidiphyllum japonicum*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- Cercis canadensis*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270; *Pestalotia guepini*, 1st rept. on this host in United States (Illinois), 498
- Cercospora althaeina*, 500
- *antirrhini*, 511
- *carotae*, 503
- *coffeicola*, 875
- leaf spot, of *Ricinus communis*, 827
- *ricinella*, 827
- *sorghi*, 336
- *theae*, 668
- *zebrina*, 784, 785, 1051, 1111
- Cercospora herpotrichoides*, 12, 13
- Cercosporina* leaf spot, of *Trigonella foenum-graecum*, 1051
- Cereals: *Cephalosporium gramineum*, 1st rept. in Montana, 13; *Cercospora herpotrichoides*, 1st rept. in Montana, 13; ergot control, 1266; foot and root rots, 12
- Ceresan 75, 1250
- Ceresan 100, 343, 348
- Ceresan 200, 558
- Ceresan M, 180, 343, 348, 558, 617, 1250
- Ceylon, 872
- Chaetomonium* spp., 931, 963
- *globosum*, 396
- Chaetoseptoria wellmanii*, 502
- Chayote: diseases in Panama, 1202
- Chemagro C-272, 881
- Chemagro D 113, 881
- Chemical 5400, 660, 755
- Chemical dips, for control of decay in carrots, 741
- Chemical dips, for control of nematodes on bare root nursery stock, 1095
- Chenopodium album*: nemas recovered from "pulled and treated" areas, 43
- Cherry, Jerusalem or Christmas, see *Solanum pseudo-capsicum*
- Mazzard: *Pratylenchus penetrans*, 1097
- sour: ring spot (virus), influence on growth and yield, 380
- sweet: control of brown rot and cracking, 394
- Chile, 1229
- Chilli: *Oidiopsis taurica*, 222
- Chillies: fruit rot, 670
- Chipcote, 348
- Chipman, 881
- Chipman BB-68, 343
- Chloranil, 660
- Chlorella ellipsoidea*, 1194
- Chlorine, 660
- Chlorodane, 991
- Chloromycetin, 404
- Chloropicrin, 755, 881, 1024
- Chlorosis, of *Pinus echinata* and *P. taeda*, 964; of spinach associated with *Olipidium brassicae*, 118
- Chrysanthemum*: tobacco mosaic-virus, characteristics of, 685; yellow strap-leaf disease, 98
- Circular leaf spot, of bean, 502
- Circulifer tenellus*, 681, 683
- Citrullus vulgaris* var. *citroides*: nemas recovered from "pulled and treated" areas, 43
- Citrus* sp(p.): *Aspergillus flavus*, albinism associated with, 922; blue mold, biphenyl-induced variations, 649; diseases in Panama, 1202; exocortis, probable spread in a nursery in California, 374; leaf curl (virus), 1081; nemas recovered from "pulled and treated" areas, 43; *Phytophthora* spp.

- (Citrus) pathogenic to, survey of irrigation water, 830; *Radopholus similis* infected, growth responses following chemical treatments, 261; *Sclerotinia sclerotiorum* in Argentina, 421; spreading decline, 41, 451
- *aurantifolia*: cachexia (virus) of sweet lime and Key lime plants, 1277
- *aurantium*: *Meloidogyne hapla*, *M. incognita acrita*, *M. javanica*, 970
- cartons: relative humidity in, as influenced by external temperature and relative humidity, 893
- Citrus limon: cachexia and xyloporosis on lemon varieties in California, 528; nemas recovered from "pulled and treated" areas, 43
- *paradisi* x *C. reticulata*: cachexia (virus), 1277
- *reticulata* x *C. paradisi*: xyloporosis (virus), 1120
- *sinensis*: *Meloidogyne hapla*, *M. incognita acrita*, *M. javanica*, 970
- *sinensis* x *Poncirus trifoliata*: *Meloidogyne hapla*, *M. incognita acrita*, *M. javanica*, 970
- soils, nematode-trapping fungi in California, 968
- Cladosporium* sp(p.), 1015, 1111, 1191
- *cladosporioides*, 396
- *cucumerinum*, 276, 279, 424
- *fulvum*, 59, 947, 949, 1143
- *herbarum*, 188, 889
- Claviceps purpurea*, 1143, 1266
- Clematis ligusticifolia*: *Puccinia recon-dita*, 411
- Cleome spinosa*: tobacco necrosis virus, 390
- CM-19, 727
- Cobalt chloride, 1019
- Coccomyces hiemalis*, 394
- *lutescens*, 538
- Cocos nucifera*: diseases in Panama, 1202
- COCS, 727, 1176
- Coffea* spp. rust, 872
- *arabica*: diseases in Panama, 1202; rust, field evaluation of six stickers in combination with Parzate for the control of, 562
- Coleosporium asterum*, 412
- *jonesii*, 412
- Colladonus clitellarius*, 717
- *montanus*, 707
- Collar rot, of tomato, 55
- Colletotrichum* sp(p.), 22, 948
- *capsici*, 670, 732
- *destructivum*, 1111
- *graminicola*, 462
- *lagenarium*, 503, 570
- *lilii*, 745, 1274
- *lindemuthianum*, 276, 279, 502
- *phomoides*, 58, 187, 732
- *trifolii*, 352, 1111
- *truncatum*, 732
- Colorado, 109, 411, 999, 1204, 1209, 1227, 1263
- Comandra umbellata*: *Cronartium comandrae*, 418
- Comfrey, see *Symphytum*
- Coniothyrium pirinum*, 498
- Connecticut, 483, 648, 834
- Control, of algae, mosses and fungi on greenhouse benches, pots and soil, 660; bacterial spot of tomato, 726; *Belonolaimus longicaudatus*, 903; black spot of roses, activity of captan when applied to soil, 1176; brown rot and cracking of sweet cherry, 395; *Ditylenchus destructor* in Wisconsin, 239; downy mildew of broccoli, 735; ergot in cereal crops, 1266; *Fusarium* wilt and root-knot nematode by chisel application of methyl bromide, 580; grey mold on strawberry, 646; impracticability of control of nematodes with ionizing radiations, 311; leaf blotch and Victoria blight of oats by seed treatment with Ceresan M, 180; leaf rust of wheat with organic nickel, 5; leaf spot of Iris with zineb, 491; *Meloidogyne incognita acrita* on vegetables in Maryland with DBCP-fertilizer mixtures, 1231; plant diseases with antibiotics from garlic, 276; powdery mildew of cantaloupe, 67, 878, roses, 494; *Pythium* root rot of corn by *Aphelenchus avenae*, 323; *Rhizoctonia* leaf rot of poinsettia, 1036; root knot, evaluation of methods of applying soil fumigants for, 1099, by chemical dips, 1096, of tomato in Arizona with fumigants, 309; rots of apples and peaches by treatment of field boxes, 396; scab of apple, use of McIntosh seedlings in the bioassay of candidate fungicides, 540; scab of pecan in Georgia by timing and spraying, 658, of potato, with PCNB and urea-formaldehyde, 633; *Sclerotium rolfsii* in Dutch Iris by soil treatments, 283; shothole of chokecherry, 536; spreading decline of citrus by "pull and treat" method, 41; tobacco mosaic virus, contact transmission, with milk, 152; vegetable diseases in Delaware, 732; waterlogged soil disease of poinsettia stock, 1034
- Co-op. Liquid Mercury Concentrate, 343
- Cop-O-Zinc, 70
- Copper A, 727
- Copper carbonate, 348
- Copper-lime, 401
- Copper Omadine, 737, 745

- Copper sulfate, 193, 397, 660, 960
 Copper-sulfur-lime, 395
 Copper-zinc, 735, 737
 Copper zinc plus Agri-Strep, 739
 Copper-Zinc plus streptomycin, 735
 Corn: bacterial wilt, 1264; *Belonolaimus longicaudatus*, 49; brown spot, 500, estimations of its effect on yield in Mississippi, 18; crazy top, 334; diseases in Panama, 1202; dry ear rot, 500; effect of fungicides and insecticides on germination after storage, 1132; effect of residue on bean root rot pathogens, 1027; false smut, 500; fertilizer burn, 1264; frost damage in Wisconsin, 1053; *Fusarium* kernel rot, 334; *Gibberella zeae*, comparison of techniques and sites of inoculation, 177; leaf blight, 334, 500; *Meloidogyne incognita* var. *acrita*, 25; nematodes associated with, 331; *Nigrospora* cob rot, 334; nutrient deficiency, 1264; *Pythium* root rot control by *Aphelenchus avenae*, 323; rust, 334, 500, 1239; seedling blight, 500, 1264; smut, 334, 500, 1264, relation of crop sequence to tassel smut, 1271; stalk rot, 334, 1264, (*Diplodia maydis*), ecological study of the pathogenicity of, 1124, trials in Pennsylvania, 863; stem nematode control, 903; stunt (virus), 500; tar spot in Guatemala, 673
 Corrections, 118, 288, 424, 512, 595, 835, 949, 1288
Corynebacterium flaccumfaciens, 439
 --- var. *aurantiacum*, 27, 439
 --- *michiganense*, 66, 276
 --- *sepedonicum*, 198, 924
Corynespora spp., 930
 --- *cassiicola*, 504
 Costa Rica, 1229
Costantinella spp., 1032
Cotinus coggygia: *Gloeosporium* sp., 1st rept. on this host in United States (Illinois), 498
 Cotton: *Alternaria* macrospora, 1051; anthracnose, 500; bacterial blight resistance caused by B7 gene, influence of nitrogen source and carbohydrate change by debudding and girdling on, 86; *Belonolaimus longicaudatus*, 47; black root rot, 506; boll rot, 500; 2,4-D injury, 1264; damping off, 90, 500, 508; diseases, reduction in yield caused by, 368; effect of residue on bean root-rot pathogens, 1027; effect of seed treatment with Thimet, on seedling diseases in the field, 558; *Fusarium* wilt, 500, 1264; leaf blight, 500; leaf spot, 500; *Meloidogyne* sp., control by the addition of 1,2-dibromo-3-chloropropane to irrigation water, 243; *Meloidogyne* sp., use of a granular nematocide applied at listing in controlling root knot, 248; *Rhizoctonia solani*, cultural and pathogenic variability of, 1063; *Rotylenchus reniformis*, 47; rust, 500; seedling blight (fertilizer injury and dry weather), 1264; seedling disease prevalence and losses in New Mexico, 1048; seedling diseases, comparison of soil fungicides for control of, 90; stem nematode control, 903; Texas root rot, 500; tobacco necrosis, 390; *Verticillium albo-atrum* elimination of, by composting gin wastes, 1150; *Verticillium* wilt, 500, 508, influence of soil temperature on, 584
 --- fiber: decomposition of cellulose by *Aspergillus niger*, 1042
 --- seedlings: calcium deficiency, 365
 Cottony leak, of calabacitas, 502
 Cowpea: diseases in Panama, 1202
Crataegus mollis: *Coniothyrium pirinum*, 1st rept. on this host in United States (Illinois), 498
 Crazy spot, of sorghum and Sudan grass, 336
 Crazy top, of corn 334
Criconeoides sp(p.), 42, 43, 44, 237, 312, 331
 --- *sphaerocephalum*, 257
 --- xenoplax, 913
 Crinkle, of peanut, 361
Cronartium coleosporioides, 412
 --- complex in Black Hills, 1227
 --- *comandrae*, 412, 418
 --- *comptoniae*, 1227
 --- *conigenum*, 412
 --- *ribicola*, 126
 Crown gall, of *Carya illinoensis*, 81
 Crown and root rot, of *Trifolium pratense*, 785, 1114
 Crown and stem rot, of *Trifolium* spp., 1265
 Crown wart, of alfalfa, 619
 Cuba, 1229
 Cucumber: angular leaf spot, control by extract of garlic spray, 276; anthracnose, 1265; bacterial wilt, 1265; *Belonolaimus longicaudatus*, 49; diseases in Panama, 1202; downy mildew, control by extract of garlic spray, 276; effect of lindane on yields when used with various fungicides, 70; effect of storage of, treated with fungicides and insecticides, 213; nematodes, 1265; peach ring spot virus susceptibility increased by soaking cotyledons in water, 843; powdery mildew, polybutenes for con-

- (Cucumber) trol, 878; root-knot nematodes, 448; scab, control by extract of garlic spray, 276; tobacco necrosis virus, 390
- Cucurbita pepo: *Belonolaimus longicaudatus*, 49
- Cumminsella mirabilis, 412
- Curvularia spp., 22, 1191
- inaequalis, 873, 875, 1013
- lunata, 871, 1191
- maculans, 350
- trifolii, 1111
- Cyanamid, 1266
- Cycloheximide, 67, 397
- Cylindrocarpon radicola, 745, 746
- Cymadothea trifolii, 786, 1051, 1111
- Cyndon dactylon: *Belonolaimus longicaudatus*, 49; nemas recovered from "pulled and treated" areas, 42; nematodes in Georgia turf nurseries, 237; *Rhizoctonia solani*, 871
- Cyperus rotundus: nemas recovered from "pulled and treated" areas, 44
- Cyprex, 395, 483, 538, 737, 1176
- D-113, 552
- Dactylaria brochopaga, 968
- candida, 968
- Dactylella spp., 968
- ellipsospora, 968
- geophyropage, 968
- Dahlia sp.: *Ditylenchus destructor*, 1212
- variabilis: *Sclerotinia sclerotiorum* in Argentina, 421
- Dalapon, 1266
- Damping-off, of alfalfa, 1178; cotton, 90, 500, 508; tomato, 503
- Darluka filum, 462
- Dates: black scorch, 963; *Fusarium* sp., 963; green shrivel, 962
- Datura stramonium: bromegrass mosaic virus, possible quantitative bioassay host for, 690
- Davisiella elymnia, 462
- 2, 4-D injury, to cotton, 1264; tomato, 1265
- DBCP, 309
- D-D, 33, 309, 444, 799, 913
- DDD, 444
- DDT, 193, 483
- Deenate, 488
- Deficiency diseases: calcium deficiency of cotton seedlings, 365; mineral deficiency of lowbush blueberry, 102; nutrient deficiency of corn, oats, tobacco, 1264
- Delaware, 184, 295, 543, 695, 732
- Delphinium ajacis: black stem, 934; green wet rot, 934
- Delsan, 348, 549
- Demeton, 1275
- Diabrotica undecimpunctata, 708
- Dianthus caryophyllus: *Fusarium* stem rot, application of fungicides to mother block for control, 1204; use of dips and drenches for control, 1209
- Diazinon, 483
- 1,2Dibromo-3-chloropropane, 243, 903, 1099
- Dichlone, 566, 646, 660, 955
- Didymella canker, of tomato, 59
- lycopersici, 59
- macrospora, 491
- Die-back and root rot, of *Taxus* spp., 814
- Dieldrin, 1133
- Dieldrisan, 343
- Digitaria spp.: nemas recovered from "pulled and treated" areas, 43
- sanguinalis: nematode species associated with, 229
- Dilophospora alopecuri, 1264
- Dinoseb, 665
- Diphanis nitidalis, 70
- Diplocarpon earliana, 413
- rosae, 1176
- Diplodia, 1015
- gossypina, 500
- maydis, 863, 1124, 1143
- phoenicum, 963
- zeae, 177, 334, 500
- Diseases, of avocado in Latin America, 1229; castorbeans in Mississippi, 827; corn and sorghum in Indiana, 334; cotton, reduction in yield caused by, 368; crops in Virginia, 1264; Gramineae in West Virginia, 461
- District of Columbia, 519
- Disulfide, 755
- Dithane M-22, 729, 732
- Dithane Z-78, 733, 1250
- Dithizone, 115
- Ditylenchus sp(p.), 42, 238, 331
- destructor, 239, 1212
- myceliophagus, 312
- Dodder; latent virus, 126
- Dorlone, 309, 787
- Dorylaimidae, 238
- Dorylaimus sp(p.), 42, 43, 44, associated with crown blight of cantaloupe, 1073
- Dothiorella sp., on *Ulm* spp., 1078
- Dowfume MC-2, 33, 787
- Dowfume W85, 248, 310
- Dowicide B, 284
- Downy mildew, of alfalfa, 501, 1265; broccoli, 735; *Helianthus annuus*, 422; lettuce, 503; lima bean, 184; melon, 503; onion, 502; watermelon, 503; wheat, 501
- Draeculacephala crassicornis, 707
- Dry ear rot, of corn, 500
- Dual Combination with Anti-friction Adhesive, 343

- Dupont Spreader Sticker, 873
 Dutch elm disease, of *Ulmus* spp., 511, 1195
 Dutch elm disease survey, 1078
 Dwarf bunt, of wheat, 9
 Dynactol, 549
 Dyrene, 193, 487, 539, 726, 732, 881
 Dyrene-s-triazine, 487
- Early blight, of potato, 502; tomato, 298, 503, 719, 1265
 Ecuador, 1229
 EDB, 309
 E. F. 23441, 483
 Eggplant: diseases in Panama, 1203;
 Oidiopsis taurica, 222; *Verticillium albo-atrum*, 821
 Elgetol, 660
Elsinoë rosarum, 1176
Elymus canadensis: nematode species associated with, 229
 --- *cinereus*: *Puccinia recondita*, 411
 --- *virginicus*: nematode species associated with, 229
Empoasca filamenta, 707
Endria inimica, 707
Epicoccum spp., 1013
 --- *granulatum*, 396
 --- *neglectum*, 1015
 --- *purpurascens* 498, 1015
 Epidemic, of oat yellow dwarf predicted, 1052
 Epidemiology, of cereal rusts in Kansas, 607; stem rust of rye, 855, wheat 601, 855 increase and spread, 1154, use of rods for spore collecting, 1160
 Epiphytotic, of stripe rust of wheat in Texas, 165; wheat streak mosaic in Kansas, 1256
 Eradication, of root-knot nematodes from grapevine rootings by hot water, 314
Eragrostis mexicana: *Curvularia lunata*, 871; *Pythium ultimum*, 871; *Rhizoctonia solani*, 871
Eremochloa ophiuroides: nematodes in Georgia turf nurseries, 237
Erica carnea: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
Erwinia amylovora, 72, 79, 276, 715, 753
 --- *aroideae*, 934
 --- *atroseptica*, 547, 934
 --- *carnegieana*, 496
 --- *carotovora*, 276, 543, 547, 934, 1236
 --- *chrysanthemi*, 934
 --- *nigrifluens*, 272
Erysiphe cichoracearum, 67, 503, 878
 --- *graminis*, 462
 --- --- *avenae*, 780
 --- --- *hordei*, 780, 1004, 1282
 --- --- *tritici*, 762, 780
 --- *polygoni*, 502, 782, 1051, 1111
Escherichia coli, 72, 1194
- Ethyl alcohol, 115
 Ethylene dibromide, 239, 580
Eucalyptus maculata var. *citriodora*:
 Armillaria mellea, 1st rept. on this host in U. S. (Calif.), 1270
 --- *rudis*: *Armillaria mellea*, 1st rept. on this host in U. S. (Calif.), 1270
Eucephalobus spp., associated with crown blight of cantaloupe, 1073
Eu-helminthosporium species, 1184
Euonymus atropurpureus: *Marssonina thomasina* in Illinois, 499
Euphorbia corollata: *Puccinia panici*, 1st rept. from Illinois, 498
 --- *pulcherrima*: *Armillaria mellea*, 1st rept. in U.S. (Calif.), 1270; *Erwinia carotovora*, 1st rept. on this host (Mo.), 1236; *Rhizoctonia* leaf rot and its control, 1036; waterlogging soil disease and its control, 1034; wilting (cause unknown), in California, 1067
Euscelidius variegatus, 707
- F-17, 1250
 Factors, influencing spread of oak wilt in West Virginia, 588
Fagopyrum esculentum: *Rhizoctonia solani*, soil naturally infested and artificially inoculated, 404
 Fenugreek (see also *Trigonella*): *Oidiopsis taurica*, 225
 Ferbam, 491, 496, 566, 955, 1205, 1211
 Ferbam-sulfur-glyodin, 395
Ferocactus wislizenii: *Fusarium oxysporum* and *F. solani*, 1040
 Ferric ammonium citrate, 821
 Fertilizer burn, of corn, 1264
Festuca arizonica: *Puccinia conspicua*, 411
 --- *octoflora*: *Fusarium acuminatum* 871; *Pythium debaryanum*, 871
 Field crop diseases, new records in Israel, 1051
 Fireblight, of pear, 79
 Flax: aster yellows (virus), 501; smut, 611
 Florida, 41, 98, 193, 261, 350, 363, 451, 511, 710, 806, 818, 943, 999, 1011, 1120
Fomes densus, see *F. johnsonianus*
 --- *geotropus*, 806
 --- *johnsonianus*, 1148
 --- *fraxineus*, 955
 --- *officinalis*, 967
 --- *pinicola*, sporophore size, 966
 Foot rot, of oats, 1264
 Foot and root rots, of cereals, 12
 Forage legume seed: treatment with fungicides in the South, 1016
 Formaldehyde, 756, 880
Fouquieria splendens: *Aecidium cannonii*, 411
Fragaria chiloensis: virus tolerance of,

- (*Fragaria*) compared with the Marshall variety, 1130
- Fraxinus* sp.: white heart rot, 1148
- *americana*: *Puccinia peridermio-* spora, 1st rept. from Illinois, 498
- *pensylvanica*: *Puccinia peridermio-* spora, 1st rept. from Illinois, 498
- Fremontia mexicana*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- Froelichia floridana*: nemas recovered from "pulled and treated" areas, 43
- Frogeye leaf spot, of apple, 655
- Fruit rot, of chillies, 670; tomato, 949
- Fumazone, 248, 309
- Fungi, action of essential oils on, 1143; associated with red and white clovers in New Hampshire, 1111, with white clover stolons, 22; inhibition of growth by *Acrophialophora nainiana* 1191; rust, life cycles of, 411
- Fungicidal sprays, stickers for, in tropics, 872
- 658 Fungicide, 727
- Fungicide-asphalt mixtures, effect of, on growth of *Ceratocystis fimbriata* f. *platani* in vitro, 565
- Fungicides, for bunt control of wheat, applied to soil, 9; effect of storage of vegetable seeds treated with, and on germination and field stand, 213; treatment of forage legume seed, 1016; treatment of soybean seed, 898
- and other chemicals, efficient incorporation of, in the root zone of cultivated soils, 111
- and insecticides, effect on germination of corn after storage, 1132
- Fusaria*, 509
- Fusarium* sp(p.), 22, 188, 227, 396, 500, 503, 547, 785, 1013, 1027, 1191, 1265, on dates, 963
- *acuminatum*, 871
- *equiseti*, 871
- *graminearum*, 1013
- kernel rot, of corn, 334
- *oxysporum*, 188, 283, 416, 509, 581, 622, 745, 746, 871, 931, 1038, 1067, 1111
- --- *conglutinans*, 1143
- --- *lycopersici*, 60, 503, 973, 1143
- --- *niveum*, 570
- --- *psidii*, 1191
- --- *tracheiphilum*, 580
- --- *tuberosi*, 509
- --- *vasinfectum*, 500
- *poae*, 871
- root rot, of bean, 929
- *roseum*, 188, 581, 1114
- --- *cerealis*, 12, 13, 175, 1204, 1209
- seed-piece decay, of potato, 543
- *solani*, 544, 622, 745, 746, 1038
- --- *eumartii*, 423
- --- *phaseoli*, 140, 437, 626, 929, 1023, 1027
- stem rot, of carnation, 1204, 1209
- *vasinfectum*, 369
- wilt, of cotton, 1264; tomato, 60, 972, 1265
- Fusicladium effusum*, 487, 658
- Fusicoccum putrefaciens*, 803
- Fusidium* sp., 963
- G-1143, 737
- Gallotox 50, 344
- Georgia, 70, 81, 236, 360, 444, 578, 654, 658, 806, 834, 960, 999, 1011, 1099, 1274
- Geotrichum candidum*, 187, 188
- Ghost spot, of tomato, 1265
- Gibberella fujikuroi*, 1143
- *zeae*, 177, 334, 446, 863, 1124
- Ginkgo biloba: *Epicoccus purpurascens*, 1st rept. on this host in United States (Illinois), 498
- Gladiolus* sp.: *Ditylenchus destructor*, 1212
- Gliocladium* spp., 931
- root rot, of bean, 626
- *roseum*, 626
- Gloeocercospora sorghi*, 336
- Gloeosporium* sp., 920
- *bolleyi*, 12, 13
- *cingulatum*, 276
- *malicorticis*, 920
- Glomerella cingulata*, 277
- *gossypii*, 369, 500
- Glume blotch, of wheat, 1264
- Glyodin, 395, 397, 1205, 1211
- Goodrite p.e.p.s., 562
- Goodrite SDD, 871
- Goodrite X75, 873
- Gotholdsteineria* sp., 331
- Grain smuts; antibiotics as seed treatment for control of, 616
- Gramineae: abnormalities and relationship to root knot nematodes, 25; *Claviceps purpurea*, 1266; diseases in West Virginia, 461; *Fusarium*, 1265; *Helminthosporium*, 1265; nematodes in Georgia turf nurseries, 236; *Rhizoctonia*, 1265
- Western: root-rotting fungi isolated from, 871
- Granville wilt, of tobacco, 1264
- Grape: *Alternaria* rot, 889; *Cladosporium* rot, 889; gray mold rot, 889
- Grapes, in storage, reduction of decay by field applications of captan, 889
- Grapevine rootings: eradication of root-knot nematodes by hot water, 314
- Gray leaf spot, of tomato, 193, 732;

- Sorghum, 336
 Gray mold, of grape, 889; *Ricinus communis*, 827; strawberry, 646, tomato, 1265
 Green shrivel, of dates, 962
 Green wet rot, of *Delphinium ajacis*, 934
Grevillea robusta: nemas recovered from "pulled and treated" areas, 44
Griseofulvin, 616
Griseofulvin-I, 1024
 Grower's program, 395
 Guatemala, 673, 1229
 Gumboil disease, of apricot, 106
 Guthion, 483
Gymnosporangium sp., on pear, 287
 --- *juniperi-virginianae*, 654
 --- *nelsonii*, 412
 --- *speciosum*, 412
 Gypsum, 79

Hakea laurina: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
 Halo blight, of bean, 502
Haptoglossa heterospora, 969
Harposporium anguillulae, 969
 Hawaii, 253
Helenium hoopesii: *Puccinia conspicua*, 411
Helianthus annuus: downy mildew, 1st rept. on this host in Argentina, 422; *Sclerotinia sclerotiorum* in Argentina, 421
Helicotylenchus sp(p.), 43, 237, 331, 790
 --- *nannus*, 227, 257, 312
Helminthosporium spp., 1013, 1265
 --- *avenae*, 180, 780, 1184
 --- culm rot, of oats, 777
 --- cyclops, 462
 --- dematoidium, 461
 --- *erythrospilum*, 461
 --- *hadrotrichoides*, 462
 --- *maydis*, 334, 500
 --- *rostratum*, on rice in India, 1241
 --- *sativum*, 12, 13, 617, 780, 1191
 --- *sorokinianum*, 227, viability and pathogenicity of stored, 1105
 --- *stenacrum*, 461
 --- *teres*, 780
 --- *turcicum*, 334, 335, 500, 501
 --- *victoriae*, 180, 780, 1184
Hemileia vastatrix, 562, 872
Hendersonia crastophila, 12
 Heptachlor, 1133
Heterodera spp., 331
 --- *glycines*, 981
 --- *göttingiana*, 1284
 --- *rostochiensis*, 459, 979
 --- *schachtii*, 126, 459, 919, 1103, 1196, 1258, significance of males in reproduction of, 979
 (*Heterodera*) *trifolii*, 1230
 --- *weissii*, 1230
 Hexachlorobenzene, 9, 880
Hibiscus syriacus: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
Hilaria rigida: *Fusarium acuminatum*, 871; *Fusarium oxysporum*, 871
 Hollow stalk, of tobacco, 1264
 Honduras, 1229
Hoplolaimus, 790
 --- *tylenchiformis*, 42, 43, 44, 237, 331
Hordeum brachyantherum: *Curvularia geniculata*, 871; *Fusarium acuminatum*, 871
 --- *jubatum*: stripe rust, 166
Hormodendron cladosporioides, 1013
 Host ranges, of Lambert mottle virus in *Prunus* spp., 1098
Humulus lupulus: virus (latent) detected by cucumber inoculation, 594
 Hyamine 2389, 1211
Hylastinus obscurus, 1114
Hypericum prolificum: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270

 Idaho, 423, 594, 626, 629, 698, 809, 999, 1108
 Illinois, 323, 371, 403, 431, 498, 936, 987, 999, 1001, 1011, 1012, 1031, 1178
Impatiens sultani: *Meloidogyne javanica*, 664
 India, 670, 872, 1191, 1241
 Indiana, 25, 201, 334, 411, 413, 470, 762, 814, 1011, 1052
Indigofera hirsuta: nemas recovered from "pulled and treated" areas, 43
 Indiole-3-acetic acid, 754
 Indonesia, 360, 872
 Insecticides, effect on storage of vegetable seeds treated with, and on germination and field stand, 213
 Iowa, 172, 464, 768, 872, 999, 1011, 1012
 Iris (bulbous): leaf spot, 491
 --- Dutch: *Sclerotium rolfsii*, soil treatment for control of, 283
 Iron, 102, 755
 Iron EDTA, 1019
Isariopsis griseola, 502
 Isothan Q15, 660
 Isotox-PMA, 344
 Israel, 221, 1051

 Java, 360
Juglans mandshurica: bacterial blast, a new bacterial disease (California) of, 272
 --- *regia*: bacterial blast, a new bacterial disease (California) of, 272; bacterial blight, control of, in Oregon, 401; *Pratylenchus vulnus*, 800

- Juniperus virginiana*: *Stagonospora pini*, 1st rept. from Illinois, 498
- Kabatiella caulivora*, 782, 111
- Kansas, 85, 159, 511, 607, 690, 745, 999, 1011, 1070, 1256
- Karathane, 66, 494
- Karathane WD, 1263
- Kelthane, 483
- Kentucky, 683, 1011
- Koeleria cristata*: *Puccinia conspicua*, 411
- Kohltreuteria paniculata*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- Laburnum anagyroides*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- Larix occidentalis*: drought injury, 809
- Late blight, of potato and tomato, see under hosts and *Phytophthora infestans*
- Latin America, 1229
- Lead arsenate, 483
- Leaf blight, of corn, 334, 500; cotton, 500; Sorghum, 501; Sudan grass, 335
- Leaf disease fungi, found for 1st time in Illinois, 498
- Leaf mold, of tomato, 59, 947, 949
- Leaf scald, of rye, 501
- Leaf scorch, of strawberry, 413
- Leaf spot, of alfalfa, 1265; *Alysicarpus vaginalis*, 350; *Amaryllis* sp., 1272; barley, 835; cantaloupe, 732; carrot, 503; cotton, 500; Iris (bulbous), 491; oats, 337; peanut, 1264; strawberry, 413; *Trifolium* spp., 1265
- Leak, of strawberry, 648
- Legume crops: *Oidiopsis* diseases in Israel, 221
- Lemaireocereus thurberi*, *Fusarium oxysporum* and *F. solani*, 1041
- Lepidosaphes beekii*, 1277
- Leptodiscus terrestris*, 1111
- Lettuce: big vein, *Olpidium brassicae* associated, 118; downy mildew, 503; drought spot of cotyledons, 629; effect of applications of micro-nutrients, 1019; effect of residue on bean root-rot pathogens, 1027; *Sclerotinia sclerotiorum* in Argentina, 421
- Leveillula taurica*, 221
- Life cycles, of rust fungi, 411
- Ligustrum lucidum*: chlorotic spot (virus), graft transmissible, 688
- Lilium* sp. (Croft): root rot control, evaluation of fungicides, 745
- longiflorum: effect of soaking bulbs in Puratized Agricultural Spray or Demeton, or in combined soaks, on aphids, black scale and yield, 1274
- Lima bean, see Bean, lima
- Lime rock, 79
- Limonene, 649
- Lindane, 70, 1133
- Liquidambar styraciflua: trunk lesion, 942
- Lithium carbonate, 67
- Lithocarpus densiflorus*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- Lolium multiflorum*: basal sheath and stalk rot (*Sclerotium rolfsii*), 1st rept. on this host (Georgia), 834
- multiflorum: *Belonolaimus longicaudatus*, 49; *Curvularia lunata*, 871; *Fusarium acuminatum*, 871; *Pythium graminicola*, 871; *Rhizoctonia solani*, 871
- Longevity of plant pathogens, the half-life concept of, 125
- Losses, from brown spot of corn, 18; seedling diseases in New Mexico, 1048
- Louisiana, 33, 668, 688, 943, 947, 949, 1070
- Lycopersicon* spp.: early blight, 298
- Macondray Spreader Sticker 78, 873
- Macrophomina* spp., 22
- phaseoli, see *Sclerotium bataticola*
- Macrosiphum avenae*, 849
- barri, 629
- granarium, 473, 1052
- pisi, 1224
- solanifolii, 717
- Macrosteles fascifrons*, 707
- Magnesium, 102
- Magnesium EDTA, 1019
- Maine, 51, 198, 201, 471, 782, 924
- Malathion, 483
- Maleic hydrazide, 1266
- Malus hupehensis*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- sargentii: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- sylvestris var. *eleyi*: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- toringoides: *Armillaria mellea*, 1st rept. on this host (Calif.), 1270
- Maneb, 70, 193, 201, 397, 487, 539, 566, 729, 955, 1176, plus streptomycin, 735
- Manganese, 755
- Manganese EDTA, 1019
- Manganese sulfate, 193
- Manitoba, 5, 172
- Manuscript acceptance and preparation, 2
- Manzate, 733, 737, 1250, plus Agri-strep, 737

- Marigold, see *Tagetes*
 Marmor erodens, 64
 --- phaseoli, 131, 1108
 --- tabaci, 65
 Maryland, 144, 173, 184, 198, 261, 348,
 416, 431, 471, 477, 494, 496, 601,
 681, 682, 683, 685, 695, 712, 715,
 755, 772, 791, 806, 855, 1004,
 1042, 1070, 1091, 1148, 1154, 1160,
 1231
 Massachusetts, 803
 Mathieson experimental 1562, 1133
 Maytenus boaria: *Armillaria mellea*, 1st
 rept. on this host (Calif.), 1270
 Meibomia spp.: nemas recovered from
 "pulled and treated" areas, 42
 Melaleuca genistifolia: *Armillaria mel-*
lea, 1st rept. on this host (Calif.),
 1270
 --- leucadendra, see *M. genistifolia*
 Meloidodera floridensis, 801
 Meloidogyne sp(p.), 42, 43, 44, 63, 238,
 243, 331, 369, 1059, 1095, on cot-
 ton, 248
 --- arenaria, 63
 --- --- arenaria, 909, 1280
 --- --- thamesi, 312
 --- hapla, 27, 63, 448, 970, 1231, 1280
 --- incognita, 27, 63, 309, 318, 444,
 1099
 --- --- acrita, 25, 63, 254, 312, 314, 318,
 448, 791, 909, 913, 970, 972, 1231,
 1280
 --- --- incognita, 909, 1280
 --- javanica, 63, 448, 580, 664, 909,
 970, 1051, 1280
 --- --- javanica, 314, 459, 913
 Melon: anthracnose, 503; downy mildew,
 503; powdery mildew, 503
 Mer-cad, 344
 Mercuric chloride, 397, 549
 Mer-sol 7, 344
 Mer-sol 51, 344
 Metasan M, 344
 Metasol M, 344
 Methoxychlor, 483
 Methyl bromide, 580
 Mexico, 777, 1011, 1198, 1229
 Michigan, 213, 270, 395, 552, 633, 920,
 991, 999, 1001, 1011
 Micocera spp., 255
 Mildew diseases, of vegetable and legume
 crops in Israel, 221
 Minnesota, 159, 329, 764, 767, 772, 787,
 898, 922, 999, 1011, 1012, 1117,
 1124, 1191, 1271, 1287
 Mississippi, 18, 152, 180, 318, 365, 420,
 504, 522, 659, 806, 827, 942, 943,
 946, 999, 1001, 1011, 1016, 1070,
 1268
 Missouri, 82, 172, 999, 1011, 1070,
 1095, 1124, 1236
 Mistletoes, dwarf, see *Arceuthobium*
 Mold, of wheat, 764
 Monilinia fructicola, 276, 279, 394
 Monohydrate copper sulfate dusts, 77
 Mononchus spp., 253, 256
 Monosporium apiospermum, 1191
 Montana, 12, 411, 1098
 Morchella esculenta: in *Cymbidium* beds,
 1032
 Morsus suffodiens, 519
 Morus alba: *Mycosphaerella mori*, 1st
 rept. from Illinois, 498
 --- rubra: nemas recovered from "pulled
 and treated" areas, 44
 Mucor sp(p.), 188, 405, 741, 931, 1111,
 1191
 --- hiemalis, 187, 188
 Mucorales, 871
 Mycosphaerella fragariae, 413
 --- perseae, 1229
 Mylone, 660, 881
 Myrothecium verrucaria, 1143
 Myzus persicae, 145, 710, 717

 N-521, 284, 755
 Nabac, 726
 Nabac 25, 726
 Nabam, 6, 193, 201, 660, 756, plus sul-
 fate and zineb, 556
 Naphthyl acetamide, 754
 Nebraska, 27, 172, 348, 439, 536, 999,
 1011, 1012
 Nemagon, 248, 310
 Nemagon EC-2, 444
 Nemagon granules, 248
 Nemagon S-1, 248
 Nematoctonus leiosporus, 969
 --- tylosporus, 969
 Nematodes (see also under genera): 930,
 associated with barley, corn, oats,
 rye and wheat in Minnesota, 329;
 associated with crown-blight of cantaloupe
 in desert soils, 1073; control
 by irradiation impractical, 311; effect
 on development of root rot and yield
 of canning peas, 787; in Georgia turf
 nurseries, 236; relationship to small
 grains and grasses in Texas, 227;
 cantaloupe, 1265; cucumber, 1265;
 peanuts, 1264; soybean, 1264; tobacco,
 1264; tomato, 1265; wheat, 1264
 --- reniform and sting, in Alabama, 47
 Neofabraea malicorticis, 920
 Neomycin sulfate, 404
 Neotylenchidae, 238, 331
 Neotylenchus spp., 331
 Net blotch, of barley, 780
 Neurospora sp., 660
 Nevada, 871
 New bacterial disease, of Juglans

(New bacterial disease) *mandshurica* and *J. regia* in California, 272

New distribution: anthracnose of apple in Michigan, 920; *Ascochyta hordei* on barley in Ohio, 835; *Balansia strangulans* on *Panicum latifolium* in West Virginia, 462; brown rot of soybean in New Jersey, 287; *Cephalosporium gramineum* on wheat in Montana, 12; *Cercospora antirrhini* on *Antirrhinum majus* in Florida, 1st rept. in United States, 511; *Cercospora herpotrichoides* on wheat in Montana, 12; crazy top on sorghum and Sudan grass in Indiana, 336; *Cronartium coleosporioides* on *Orthocarpus luteus* in South Dakota, 1227; crown rust of barley in Minnesota, 1287; curly top virus of tobacco in Virginia, 155; in Maryland and North Carolina, 682; *Curvularia trifolii* on *Trifolium pratense* in New Hampshire, 1111; gray leaf spot, of sorghum in Indiana, 336; head smut of Sorghum in New Mexico, 595; *Helminthosporium culm* rot of oats in Texas, 777; leaf spot (*Ascochyta hordei*) on barley in Ohio, 835; *Leptodiscus terrestris* on *Trifolium repens* in New Hampshire, 1111; powdery mildew of oats in Texas, 777; rough spot of sorghum in Indiana, 336; rubbery wood virus of apple (New York) 1st rept. in United States, 157; *Sclerotinia sclerotiorum* on celery in Argentina, 421; *Sclerotium bataticola* on *Trifolium repens* in New Hampshire, 1111; *Septoria* leaf blotch of barley and oats in Texas, 777; sooty stripe of sorghum in Indiana, 336; stripe rust of wheat in Minnesota, 159, in New Mexico, 595; tobacco-etch of Tabasco pepper in Louisiana, 947; *Uromyces nerviphilus* on *Trifolium repens* in New Hampshire, 1111; zonate leaf spot of sorghum in Indiana, 336

New Gallotox, 344

New Hampshire, 201, 540, 1111

New hosts: *Arceuthobium campylopodum* f. *laricis* on *Pinus banksiana* in Idaho, 594; *Armillaria mellea*, unrecorded hosts, 1270; basal sheath and stalk rot (*Sclerotium rolfsii*) on *Lolium multiflorum* in Georgia, 834; bromegrass mosaic virus (*Marmor graminis*) of *Poa pratensis* in Kansas, 85; *Colletotrichum capsici* on *Tagetes erecta* (India), 670; *Coniothyrium pirinum* on *Crataegus mollis* in Illinois, 498; *Cronartium coleospori-*

oides on *Castilleja sessiliflora* (N. Dak.), 1227; *Epicoccum purpurascens* on *Ginkgo biloba* in Illinois, 498; *Erwinia carotovora* on *Euphorbia pulcherrima* in Missouri, 1236; *Gloeosporium* sp., on *Cotinus coggygia* in Illinois, 498; *Helminthosporium rostratum* on rice in India, 1241; *Heterodera trifolii* on *Polygonum persicaria* in California, 1230; *Meloidodera floridensis* on *Pinus rigida* (New Jersey), 801; *Meloidogyne javanica* on *Solanum pseudo-capsicum* in Minnesota, 664; *Pestalotia guepini* on *Cercis canadensis* in Illinois, 498; *Physalis alkekengi* for U. S. cotton-, Cassia-, and sweetpotato-wilt *Fusaria*, 509; *Stemphylium* sp. on *Symphytum peregrinum* in New York, 1050; *Verticillium albo-atrum* on *Acer pensylvanicum* (New York), 1137

New Jersey, 177, 184, 287, 567, 972, 801, 1122

New Mexico, 243, 248, 287, 506, 595, 999, 1048, 1063, 1150

New Puradrin, 344

New York, 111, 157, 184, 201, 264, 311, 352, 380, 446, 477, 616, 640, 655, 719, 735, 821, 929, 934, 999, 1011 ff., 1050, 1079, 1137, 1143, 1219

N-Dodecylguanidine fungicides, 483

Nickel carbamate, 566, 955

Nickel chloride, 5

Nickel nitrate hexahydrates, 5

Nicotiana glutinosa: effect of humidity and atmospheric pressure on tobacco mosaic virus infection of local lesions, 845

Nigrospora oryzae, 334, 396

Nitrate nitrogen, 86

Nitrogen, 102, 477

Nitrogen fertilization, decrease of soybean root nodulation, 1284

No Bunt, 881

Nodulation, lack of, in alfalfa, 1265

North Carolina, 24, 152, 283, 420, 424, 570, 682, 683, 753, 806, 903, 1001, 1011, 1280, 1284

North Dakota, 14, 169, 999, 1001, 1011, 1105

Northeastern United States, 1004

Nothotylenchus sp(p.), 43, 44, 331

Nova Scotia, 803, 804

Nuclay, 72, 77, 79

Nursery stock: chemical dips for control of nematodes, 1095

Oak wilt, see *Ceratocystis fagacearum* and under *Quercus*

Oats: barley yellow dwarf virus, 849; crown rust, 611, 777, 1010, Land-

- hafer races in Texas and Mexico, 1198,
methods used in conducting surveys of
races, 464; drought lodging, 475;
effects of chemical seed treatment on
the control of seedling diseases, 180;
Epicoccum spp., 1013, 1015; *E. neglec-*
tum, 1015; *E. purpurascens*, 1015;
Eu-helminthosporium, differentiation
of pathogenic forms, 1184; foot rot,
1264; *Fusarium* spp., 1015; grown in
association with alfalfa reduces growth
of alfalfa, and alfalfa increases growth
of oats, 1117; heat canker, 475;
Helminthosporium culm rot, 1st rept.
on this host in Texas, 777; leaf blotch
and Victoria blight, 180; leaf spot
(non-parasitic), 337; *Meloidogyne in-*
cognita var. *acrita*, 25; nematodes
associated with, 229, 331; nutrient de-
ficiency, 1264; powdery mildew, 1st
rept. on this host in Texas, 777; red
leaf, 1264; *Septoria* leaf blotch, 1st rept.
on this host in Texas, 777; smut, 616,
seed treatment trials, 343; smut-re-
sistant Black Mesdag, possible parent
for oat species crossing, 772; stem rust,
611, inheritance of new sources of re-
sistance, 768; yellow dwarf (virus)
epidemic prediction, 1052
- Oenothera nuttallii*: *Aecidium anograe*, 411
Ohio, 55, 835, 1011
Oidiopsis taurica, 221
Oidium, on tomato, 66
Oils, action on fungi, 1143
Oklahoma, 90, 487, 999, 1070, 1124, 1288
Oligomycin, 1024, 1250
Olpidium spp., 929
--- brassicae, 118
OM 1084, 1211
OM 1456, 1205
OM 1483, 1205
OM 1564, 1205
Omadine, 660, 755
Omadine salts, 756
Omazine, 494
Onion: diseases in Panama, 1203; downy
mildew, 502; *Oidiopsis taurica*, 223;
smut control, 880
Ontario, 102, 729, 849, 878, 1004
Ophiobolus graminis, 12, 13
Opuntia engelmannii: *Fusarium oxysporum*
and *F. solani*, 1040
--- *fulgida*: *Fusarium* spp., 1040
--- *versicolor*: *Fusarium oxysporum* and
F. solani, 1040
Orange seedlings: growth rate in presence
and absence of *Phytophthora* spp., at
two levels of irrigation and of soil
nitrogen, 1169
Oregon, 79, 137, 175, 401, 619, 622, 705,
871, 996, 999, 1130, 1247
Organ-pipe cactus, see *Pachycereus*
Orobanche ludoviciana, 580
Ortho LM, 344
Ortho seed guard, 348
Orthocarpus luteus: *Cronartium coleospori-*
oides, 1st rept. on this host in South
Dakota, 1227
Orthocide, 348, 492
Orthocide 50W, 737
Orthocide 50W plus ML-107, 737
Orthocide 75, 1024, 1250
Orthocide 80W, 733
Orthocide 406, 646, 755, 756
Orthocide spreader-sticker, 562, 873
Orthocide sticker 1017, 562
Oryzopsis hymenoides: *Fusarium acumina-*
tum, 871; *Fusarium oxysporum*, 871
Ovotran, 67
Oxime derivatives, 617
- Pachycereus marginatus*: bacterial rot, 496
Panicum fasciculatum: nematode species
associated with, 229
--- *latifolium*: *Balansia stangulans*, 1st
rept. on this host from West Virginia,
462
Pano-drench 4, 1211
Panagen, 348
Panogen 15, 9, 344, 1205, 1250
Panoram, 348
Panoram D-31, 348
Papaya: diseases in Panama, 1203
Para rubber latex, 562
Paraphelenchus sp.(p.), 43, 44, 238
Parathion, 193
Paratylenchus spp., 238, 331, 790
--- *minutis*, 258
--- *projectus*, 227
Parzate, 487, 554, 562, 874
Paspalum dilatatum: nematode species as-
sociated with, 229
Paulownia tomentosa: *Armillaria mellea*,
1st rept. on this host (Calif.), 1270
PCNB, 90, 444, 558, 633, 750, 1250
Peach: *Armillaria mellea*, 520; control of
rots by treatment of field boxes, 396;
Criconeoides xenoplax, 913; *Meloi-*
dogyne incognita acrita, 913; ring spot
(virus), 82; rosette mosaic virus, lack
of transmission by adding chlordane to
the soil, 991; yellow bud mosaic virus,
nematodes associated with spread, 989
Peanut: crinkle, 361; diseases in Panama,
1203; leaf spot, 1264; nematodes, 1264;
Sclerotinia sclerotiorum in Argentina,
421; southern blight, 444; stem nema-
tode control, 903; stem rot, 1264; stem
rot, non-dirtting cultivation and soil-
surface applications of PCNB in con-
trolling, 750, role of dinoseb in "non-
dirtting" control of, 665; stub-leaf, 360
--- seedlings; abnormality caused by seed
injury, 353

- Pear: fireblight, streptomycin used, 79;
rust, early record in Arizona, 287
- Peas: effect of storage of, treated with
fungicides and insecticides, 213; pow-
dery mildew, 502; streak (new virus
strain), 698; caused by combinations
of viruses, 1219
- canning: nematodes, effect on develop-
ment of root rot and yield of, 787
- Pecan trees (see also *Carya illinoensis*):
Tillandsia usneoides controlled by
spraying with copper sulfate and
calcium arsenate, 960
- "Pecky" cypress, of *Taxodium distichum*
806
- Pectobacterium delphinii*, 934
- Pellicularia rolfsii*, 1031
- Penetrol, 491
- Penicillium* spp., 188, 470, 741, 746, 760,
893, 931, 1111, 1114, 1191
- *digitatum*, 653
- *italicum*, 649
- Pennsylvania, 418, 863, 999, 1011, 1012
- Pepper: blight, 502; diseases in Panama,
1203; maneb injury to seedlings grown
under glass, 729; potato virus Y, in
south Florida, 710; ripe rot, 732;
southern bacterial wilt, 502; southern
blight, 444; tobacco mosaic virus, con-
trol of contact transmission with milk,
152; *Xanthomonas vesicatoria*, 1153
- , Tabasco: tobacco-etch virus, 1st rept.
on this host in Louisiana, 947
- PEPS, 873
- Peridermium filamentosum*, 1227
- *harknessii*, 1227
- *stalactiforme*, 1227
- Peronospora destructor*, 502
- *parasitica*, 276, 735
- *trifoliorum*, 501
- Persea americana*: diseases in Latin Amer-
ica, 1229; mistletoe (*Phoradendron*
sp.), 1229; powdery mildew, 1229;
scab, 1229; sunblotch (virus), 1229
- Peru, 1229
- Pestalotia* spp., 1191
- *guepini*, 498
- Phaltan, 491, 494, 495, 566, 732, 955, 1176,
1205
- Phaltan 50W, 737, plus ML-107, 737
- Phaltan-sticker, 395
- Phaseolus aureus*: *Heterodera glycines*, 981
- *coccineus*: disease resistance in, tested
against virus, 137, bean rust, *Fusarium*
root rot and halo blight, 140
- *vulgaris*: effect of humidity and atmos-
pheric pressure on alfalfa mosaic virus
infection of local lesions, 845
- Phenyl mercury nitrate, 566, 955
- Philaenus leucophthalmus*, 707
- Philippines, 562, 872
- Pholiota adiposa*, 955
- Phoma black spot, of tomato, 61
- *destructiva*, 61
- *herbarum*, 871
- --- *medicaginis*, 622
- *pomi*, 396
- *trifolii*, see *Ascochyta imperfecta*
- Phoradendron* sp., 1229
- Phosphorus, 102
- Photography: method for mounting roots,
403
- Phycomycetous mycorrhizal fungus, 924
- Phygon, 348, 1250
- Phygon XL, 646
- Phyllachora* sp., 462
- *maydis*, 673
- Phymatotrichum omnivorum*, 369, 500
- Physalis alkekengi*: new host for U.S.
cotton-, Cassia-, and sweetpotato-wilt
Fusaria, 509
- *floridana*, 149
- Physalospora obtusa*, 396, 654
- *perseae*, 1229
- Physoderma alfalfae*, 619
- *maydis*, 18, 500
- Phytoactin, 1024
- Phytoactin L 307, 1263
- Phytomicrographs, method for making, 659
- Phytophthora* sp(p.), 501, 830, 833, 745
- *capsici*, 502
- *cinnamomi*, 814, 1229
- *citrophthora*, 830, 1169
- *cryptogea*, 1178
- *fragariae*, 270, 569, 1091
- *hibernalis*, 830
- *infestans*, 51, 62, 193, 202, 295, 502,
503, 924, 1174
- *megasperma*, 830
- *palmivora*, 1229
- *parasitica*, 502, 830, 833, 1169
- --- *nicotianae*, 755
- *phaseoli* new race "B", 184
- *syringae*, 830
- Phytostreptin, 1024
- Pink rot, of celery, 421
- Pinus* spp.: *Arceuthobium* spp., 109; rust,
1227
- *banksiana*: *Arceuthobium campylopodum*
f. *laricis*, 1st rept. on this host (Idaho),
594
- *contorta*: *Arceuthobium americanum*,
109; *Cronartium comandrae*, 418;
drought injury, 809; *Peridermium hark-*
nessii, 1227
- *echinata*: chlorosis, related to calcium
content of soil, 964; *Meloidodera flori-*
densis possible new host record (New
Jersey), 801
- *flexilis*: *Arceuthobium campylopodum* f.
cyanocarpum, 109
- *monticola*; drought injury, 809

- mugo: *Diplodia pinea*, 1st rept. in Illinois, 498
- nigra: *Diplodia pinea*, 1st rept. in Illinois, 498
- palustris: *Scirrhia acicola*, 420
- ponderosa: *Arceuthobium vaginatum* f. *cryptopodium*, 109; *Cronartium comandrae*, 418; drought injury, 809; *Fomes officinalis*, 967; *Fomes pinicola*, 967; *Polyporus anceps*, 967;
- pungens: *Cronartium comandrae*, 418
- rigida: *Meloidodera floridensis*, 1st rept. on this host (New Jersey), 801
- strobilus: brown spot needle blight, 420
- sylvestris: *Peridermium harknessii*, 1227
- taeda: chlorosis, related to calcium content of soil, 964; *Scirrhia acicola*, 420
- Piricularia grisea*, 462
- oryzae, 477
- Pittsburgh C-272, 1024
- Plant pathogens, half-life concept of longevity of, 125
- Plasmopara halstedii*, 422
- Pleospora herbarum*, 190
- lycopersici, 190
- Pleurotus ostreatus*, 955
- Poa pratensis*: bromegrass mosaic virus, 1st rept. on this host (Kansas), 85
- Podosphaera leucotricha*, 654, 1263
- tridactyla, 421
- Poinciana pulcherrima*: *Armillaria mellea*, 1st rept. on this host in U. S. (California), 1270
- Polygonum persicaria*: *Heterodera trifolii*, 1st rept. on this host (California), 1230
- Polyporus adustus*, 955
- parganensis, 955
- sulphureus, 955
- tulipiferae, 955
- versicolor, 955, 1191
- Polythrincium trifolii*, 1051
- Poncirus trifoliata*: exocortis-like symptoms, 374
- Poria monticola*, 955
- Potassium, 102
- Potato: *Belonolaimus longicaudatus*, 49; blackleg, 1265; *Ditylenchus destructor*, 1212; diseases in Panama, 1203; early blight, 202, 502; fungicides, uniform and timing experiments comparing maneb and zineb, 201; *Fusarium eumartii* wilt in Idaho, 423; *Fusarium wilt*, 509; late blight, 202, 502, 1265; late blight, relation of rainfall, relative humidity, and temperature to, 51, relation of rainfall and temperature to, 295, resistance of seedlings resistant to ring rot, 924; leaf spot (? deficiency), 947; mosaic (virus), 1265; *Oidiopsis taurica*, 222; punta morada (virus), 502; rhizoctoniosis, 502; ring rot, 924 method of testing seedling progenies for resistance, 198; scab, control in Michigan, 633; *Sclerotinia sclerotiorum* in Argentina, 421; seed-piece decay, 543, varietal response to, 546; tuber necrosis in Idaho, 423; zinc fungicides used to demonstrate spray coverage, 115
- Powdery mildew, of apple, 654, 1263; apricot, 421; avocado, 1229; barley, 780, 1004; cantaloupe, 67; cucumber, 878; melon, 503; oats, 777; peas, 502; red clover, 782; rose, 494; strawberry, 1253; Vicia faba, 1051; watermelon, 503
- Pratylenchus* sp(p.), 29, 42 ff., 237, 261, 331, 790, associated with crown blight of cantaloupe, 1073
- brachyurus, 42 ff., 256, 1099
- penetrans, 1097
- scribneri, 43
- vulnus, 312, 797
- zeae, 42, 43, 44
- Primula obconica*: tobacco necrosis virus, 640
- Prismatolaimus* spp., associated with crown blight of cantaloupe, 1073
- Prunus* spp.: Lambert mottle (virus) host ranges and latent carriers, 1098; necrotic ring spot virus, time and temperature requirements for transmission, 993; quick index method for Kwanzan-systemic virus, 534; virus, 126
- amygdalus: *Armillaria mellea*, 520; yellow bud mosaic (virus), 520
- virginiana demissa: shothole, control by Cyprex, 536
- Pseudomonas andropogonis*, 335
- angulatum, 539
- caryophylli, 27
- lachrymans, 276, 279
- phaseolicola, 140, 276, 279, 502
- solanacearum, 27, 502
- syringae, 272, 276, 786
- tabaci, 539, 753, 946
- Pseudoperonospora cubensis*, 276, 279, 503
- Pseudopeziza trifolii*, 785, 1111
- trifoliorum, 501
- Pseudoplea trifolii*, 1051, 1111
- Pseudotsuga menziesii*: *Fomes pinicola*, 966
- --- glauca; drought injury, 809
- Psilenchus* spp., 331
- Publications, relative to viral diseases of plants from 1900 to 1956, 371
- Puccinia andropogonis*, 412
- asparagi, 552
- cacabata, 500
- canaliculata, 412
- caricina, 412
- carthami, 501, 1250
- conspicua, 412
- coronata, 126, 412, 611

- --- *avenae*, 464, 777, 1010, 1012
- --- *secalis*, 1287
- *crandallii*, 412
- *dioicae*, 412
- *glumarum*, see *P. striiformis*
- *graminis*, 276, 461, 462
- --- *avenae*, 611, 768
- --- *secalis*, 611, 855
- --- *tritici*, 5, 173, 501, 601, 607, 855, 1154, 1160
- *hordei*, 611, 780, 1000
- *liatridis*, 412
- *monoica*, 412
- *poae-sudeticae*, 462
- *polysora*, 334, 1239
- *purpurea*, 335, 501
- *pygmaea*, 412
- *recondita* (see also *P. rubigo-vera*), 412, 501, 578, 611, 613, 777, 998
- --- *secalis*, 611
- *recondita tritici*, 607
- *redfieldiae*, 412
- *rubigo-vera*, see also *P. recondita*
- --- --- *secalis*, 5
- --- --- *tritici*, 606
- *sorghi*, 334, 500, 1239
- *stipae*, 412
- *striiformis*, 159, 163, 165, 168, 169, 172, 501, 595, 607, 777
- *vexans*, 412
- Pumpkin: root-knot nematodes, 448
- Puritized, 660
- Puritized Agricultural Spray, 539, 658, 1275
- Puerto Rico, 1229
- Pullularia pullulans*, 188
- Puraseed, 348
- Pyrax ABB*, 77, 79
- Pyrenochaeta* sp., 323
- Pyrenophora avenae*, 180
- Pyronema* sp., 660
- Pythium* sp(p.), 12, 13, 500, 559, 581, 745, 871, 1111, on tobacco, 1264
- *aphanidermatum*, 502
- *arrhenomanes*, 323
- *debaryanum*, 90, 871
- *graminicola*, 871
- *spinosum*, 38
- *ultimum*, 871, 929
- *vexans*, 871
- Quercus* spp.: *Ceratocystis fagacearum*, toxicity of heartwood to, 936; oak wilt in Arkansas and Oklahoma, 1288; oak wilt, spread in West Virginia, 588
- *falcata*: *Actinopelte dryina*, 1st rept. in Illinois, 498
- *marilandica*: *Actinopelte dryina* in Illinois, 499; *Monochaetia desmazieri*, 1st rept. from Illinois, 498
- *stellata*: *Gloeosporium quercinum* 1st rept. from Illinois, 498
- Race, new, of *Phytophthora phaseoli*, 184
- Races (see also strains), of *Alternaria*, *solani*, evidence of existence of, 298; crown rust of oats, 1010; *Erysiphe graminis* f. *hordei* on barley, 1282; leaf rust of wheat in United States, 999, barley in United States, 1000; *Puccinia coronata avenae*, 464
- Radish: downy mildew, control by extract of garlic spray, 276
- Red Globe: black root rot, 834
- Radopholus oryzae*, 34
- *similis*, 42, 43, 44, 254, 451, 1095, cause of decline of citrus, 261; sampling "pulled and treated" areas for, 41
- Ramulispora sorghi*, 336
- RE 4334, 881
- Reaction (see also resistance, susceptibility), of barley seedlings to infection with *Septoria passerinii*, method of evaluating, 14; *Bromus catharticus* varieties and strains to head smut, 1268; cabbage varieties and club-root-resistant lines to root-knot nematodes, 1280; cachexia and xyloporosis on scions of lemon selections, 530; *Cucurbitaceae* to root-knot nematodes, 448; rye varieties to *Puccinia recondita*, 578; snap-bean varieties to strains of bean-mosaic virus, 131; *Solanum* spp. to inoculation with potato viruses and *Verticillium albo-atrum*, 146; *Solanum* spp. hybrids to potato viruses and fungi, 148; varieties of Sudan grass, sorgo and grain sorghum to *Sphacelotheca reiliana*, 1084; watermelon varieties to root knot nematodes, 909
- Reactions, necrotic and resistant, to the sugarcane mosaic virus, in *Sorghum* varieties, 522
- Red leaf, of oats, 1264
- Red stele, of strawberry, 270, 1091
- Redfieldia flexuosa*: *Puccinia redfieldiae*, 411
- Relation, of rainfall and temperature to late blight of potato, 295; root-knot nematodes and irrigation water to the incidence and dissemination of bacterial wilt of bean, 27
- Relations between nematodes, fumigation and fertilization in rice culture, 33
- Residual activity, of fungicides applied to soil for bunt of wheat control, 9
- Resistance, inheritance of, of strawberry to *Phytophthora fragariae*, 1091; late blight, of potato seedlings resistant to ring rot, 924; potato seedling progenies to ring rot, 198; strawberry varieties to spread of *Phytophthora fragariae*, 270; strawberry varieties, species and selections to powdery mildew, 1253; strawberry varieties and selections to leaf spot and scorch, 413, *Verticillium* wilt, 567;

- to sugarcane mosaic in Sorghum, 522;
in watermelon to Colletotrichum
lagenarium, 570
- Rhabditis spp., associated with crown
blight of cantaloupe, 1073
- Rhamnus spp.: Puccinia coronata avenae,
1012
- Rhaphiolepis indica: Armillaria mellea, 1st
rept. on this host (Calif.), 1270
- Rhizobium japonicum, 1284
- Rhizoctonia sp(p.), 22, 369, 931, 1015,
1265
- albida, 871
- leaf rot, of Euphorbia pulcherrima, 1036
- leguminicola, 786
- mycorrhizal fungus, 924
- solani, 90, 188, 404, 461 ff., 500, 503,
559, 580, 626, 745, 818, 871, 929,
1027, 1036, 1063, 1111, 1116
- tuliparum, 746
- Rhizoctoniosis, of potato, 502
- Rhizopus sp(p.), 369, 394, 405, 503, 760,
889
- nigricans, 396, 648, 1111
- stolonifer, 187, 188
- Rhodotorula glutinis var. rubescens, 1111
- Rhopalosiphum fitchii, 471, 1052
- maidis, 473, 849
- padi, 849
- Rhus glabra: Cercospora rhoina in Illinois,
499; Marssonina toxicodendri, 1st rept.
from Illinois, 498
- trilobata: Armillaria mellea, 1st rept.
on this host (Calif.), 1270
- Rhynchosporium orthosporum, 461
- secalis, 461, 501, 777
- Ribes alpinum: Marssonina ribicola, 1st
rept. from Illinois, 498
- Rice: blast, interrelationship of nitrogen
and other factors affecting, 477; diseases
in Panama, 1203; Helminthosporium
rostratum, 1st rept. on this host (India),
1241; Tylenchorhynchus martini, 33
- Ricinus communis: Alternaria capsule mold
and leaf spot, 827; bacterial leaf spot,
827; Botrytis leaf blight, 363; castor
pomace application and cropping for
reduction of nematode populations, 459;
Cercospora leaf spot, 827; gray mold,
827; wilt (bacterium), 827
- Rimocidin, 1211
- Ring rot, of potato, 198, 924; Trifolium
pratense, 1051
- Ripe rot, of pepper, 732
- Root rot, of alfalfa, 1178; bean, 1023, 1027,
1265; Croft lilies, 745; safflower, 501
- ---, Texas, of cotton, 500
- Roots, centrifugation of, before determin-
ing moist weight, 987
- Rosa spp.: anthracnose, 1176; black spot,
1176; powdery mildew, 494
- Rotylenchus buxophilus, 312
- reniformis, 47
- robustus, 227
- Rough spot, of sorghum, 336
- Rubus ostryifolius: Kunkelia nitens, 1st rept.
from Illinois, 498
- Rust, see under various genera and hosts
- Rye: leaf rust, 5, 611; leaf scald, 501,
nematodes associated with, 229, 331;
--- varieties: reaction to leaf rust, 578
- Saccharomyces ellipsoideus, 1194
- Safflower, see Carthamus
- Saguaro, see Carnegiea gigantea
- Sanocide, 881
- Saprozoics, 44
- Sassafras albidum: Gloeosporium affine in
Illinois, 499
- Scab, of apple, 483, 540; barley, 1264;
pecan, 487, 658; Persea americana,
1229; potato, 633; wheat, 1264
- Scald, of barley, 777, 1264
- Scaphoideus luteolus, 1245
- Scaphytopius acutus, 717
- Schizophyllum commune, 955
- Scirrhia acicola, 420
- Sclerophthora macrospora, 334, 336
- Sclerospora macrospora, 501
- Sclerotinia sclerotiorum, 421, 629, 804
- trifoliorum, 1111
- Sclerotinose, of bean, 502
- Sclerotium bataticola, 580, 1111
- rolfsii, 126, 283, 444, 665, 750, 834
- Scolytus multistriatus, 1245
- Scurf, of sweetpotato, 1265
- Scutellonema brachyurum, 312
- Seed injury, causes abnormality of peanut
seedlings, 353
- Seed treatment, with streptomycin, effect
on Golden Acre cabbage, 549; vegetable
seeds treated with fungicides and in-
secticides, effect of storage on germin-
ation and field stands, 213
- Seed-treatment tests, of sorghum, 348
- Seed-treatment trials, cooperative, 343
- Seedling blight, of corn, 500, 1264; cotton,
1264; wheat, 617
- Seedling rot, of Carnegiea gigantea, 1038
- Semicarbazone, 1176
- derivatives, 616
- Septoria glycines, 287
- leaf blotch, of barley, 777; of oats in
Texas, 777
- leaf spot, of tomato, 63
- lycopersici, 63, 947
- macropoda var. septulata, 462
- nodorum, 780
- passerinii, 14
- tageticola, 670
- tritici, 780
- Sesame, see Sesamum indicum

- Sesamum indicum*: *Alternaria macrospora*, 1051; diseases in Panama, 1203; effect of residue on bean root rot pathogens, 1027
- Sesbania*: Effect of residue on bean root-rot pathogens, 1027
- Setaria lutescens*: *Meloidogyne incognita* var. *acrita*, 25
- Setrete, 348
- Sevin, 483
- Shell Tenac, 562
- Shellestol, 873
- Shothole, of chokecherry, 536
- Sida carpinifolia*: nemas recovered from "pulled and treated" areas, 44
- Siteroptes graminum*, on wheat in Idaho, 423
- Sitona hispidula*, 622, 1114
- Small grains: *Acremonia*, 1015; *Alternaria tenuis*, 1013; *Cladosporium*, 1015; *Curvularia inaequalis*, 1013; *Diplodia*, 1015; diseases in Texas, 777; *Epicoccum* spp., 1013; *Fusarium* spp., 1013; *Fusarium graminearum*, 1013; *Helminthosporium* spp., 1013; *Hormodendron cladosporioides*, 1015; *Rhizoctonia*, 1015; *Stemphylium*, 1015; yellow dwarf (virus), a limiting factor in Washington, 471
- Smilacina racemosa*: *Sphaeropsis cruenta*, 1st rept. from Illinois, 498
- Smog damage, reduced by virus infection and heating, 129
- Smut, see under various genera and hosts
- Smut-B-Gon, 344
- Smut Go, 881
- Sodium hypochlorite, 741
- orthophenylphenate, 649
- Soil disinfestants: laboratory method for testing effectiveness, 1174
- Soil rot, of tomato, 818
- Solanum* spp. and species hybrids: preliminary evaluation for resistance to disease, 144, reaction to certain potato viruses and fungi, 146 ff.
- pseudo-capsicum: *Meloidogyne javanica*, 1st rept. on this host (Minnesota), 664
- sarrachoides: *Heterodera schachtii*, 1196
- Sooty blotch, of red clover, 786; *Trifolium resupinatum*, 1051
- Sooty mold, of wheat, 1264
- Sooty stripe, of sorghum, 336
- Soreshin, of tobacco, 1264
- Sorghum sp(p.): bacterial stripe, 335; crazy top, 1st rept. on this host in Indiana, 336; diseases in Panama, 1203; effect of residue on bean root-rot pathogens, 1027; gray leaf spot, 1st rept. in Indiana, 336; head smut, 335, 1084, 1st rept. on this host in New Mexico, 595; leaf blight, 501; rough spot, 1st rept. in Indiana, 336; rust, 335, 501; smut, 348, 501; sooty stripe, 1st rept. in Indiana, 336; sugarcane mosaic virus, 522; zonate leaf spot, 1st rept. in Indiana, 336
- halepense: nematode species associated with, 229; rust, 335
- sudanense: crazy top, 1st rept. on this host in Indiana, 336; head smut, 1084; leaf blight, 335; rust, 335
- vulgare var. sudanense: effect of residue on bean root-rot pathogens, 1027
- South Carolina, 22, 509, 999, 1011, 1122, 1184
- South Dakota, 133, 168, 477, 697, 845, 999, 1011, 1012, 1227
- Southern bacterial wilt, of pepper, 502
- Soybean: *Belonolaimus longicaudatus*, 49; brown spot, 1st rept. on this host in New Jersey, 287; effect of residue on bean root-rot pathogens, 1027; field inoculation with bacteria simplified, 946; fungicidal treatment of seed in Minnesota, 898; *Heterodera glycines*, response of, to nitrogen fertilization, 1284; mosaic (virus), 1264; nematodes, 1264; stem nematode control, 903; stem rot, 1264; target spot, effect on yield, 504; wildfire, 946
- Spergon, 348, 737, 1016, 1250
- Spergon SL, 737
- Sphaceloma perseae, 1229
- Sphacelotheca occidentalis*, 461
- reiliana, 335, 500, 501, 595, 1084
- sorghi, 348
- Sphaerotheca macularis*, 1253
- pannosa, 421, 494, 878
- Spinach: chlorosis, *Olpidium brassicae* associated, 118
- Spot blotch, of barley, 1105
- Spreading decline, of Citrus, 451
- Squash: ring spot of stone fruits, natural spread from infected to healthy squash, 705; root-knot nematodes, 448
- , summer: *Meloidogyne incognita incognita*, soil fumigants for control, 1100
- Stagonospora bromi*, 461
- curtisii, 1272
- foliicola, 462
- meliloti, 1111
- Stalk rot, of corn, 334, 863, 1124, 1264
- Staphylococcus aureus*, 1194
- Stauffer, 881
- Stem rot, of alfalfa, 1265; bean, 502; peanut, 665, 750, 1264; soybean, 1264
- Stemphylium* sp., 580, 1015; on *Symphytum peregrinum* in New York, 1050
- blight, of tomato, 63
- botryosum, 187, 188, 784, 1050
- consortiale, 188
- sarcinaeforme, 784, 1051, 1111
- solani, 63, 193, 732
- trifolii, 1111

- Stenotaphrum secundatum*: *Ditylenchus destructor*, 1212; nematodes in Georgia turf nurseries, 237
- Stereum* sp., on *Taxodium distichum*, 806
- *purpureum*, 955
- Stone fruits: brown rot, control by extract of garlic spray, 276
- Storage molds, of wheat, 470
- Strain(s) (see also races), of *Erysiphe graminis tritici* attacking Arosan wheat, 762, of *Xanthomonas vesicatoria* differing in virulence on tomato and pepper, 1153
- Strain(s) new, of bean mosaic in Idaho, 1108, of powdery mildew of barley in British Columbia, Ontario and Northeastern United States, 1004
- Strawberry (see also *Fragaria*): aster yellows virus, in nursery beds, 645; field resistance of varieties and selections to *Verticillium* wilt, 567; grey mold, control of, 646; leaf scorch, 413; leaf spot, 413; leak, 648; mild mottle virus, spread in nursery stocks, 695; red stele root rot, 270, 1091; *Verticillium* wilt, 567; witches' broom (virus) in Oregon, 996
- varieties: effect of virus complexes on responses of, 385
- --- and new selected seedlings: improved method for testing tolerance of, to virus infection, 1247
- ---, species, selections and seedlings: powdery mildew, resistance to, 1253
- Streptomyces* sp., 760
- *cinnamomeus* f. *azacoluta*, 431
- scabies, 145, 633
- Streptomycin*, 72, 193, 544, 726
- nitrate, 753
- stability of dust formulations, 79
- sulfate, 72, 404, 753
- Stub-leaf, of peanut, 360
- Stylopaga hadra*, 969
- Sugarcane: diseases in Panama, 1203; nematodes associated with varietal yield decline of, in Hawaii, 253
- Sulfur, 79, 102, 1263
- Sulfur-glyodin, 395
- Survey, of cotton seedling disease prevalence and losses in New Mexico, 1048; fungi associated with white clover stolons, 22; irrigation water for the presence of *Phytophthora* spp., 830; plant diseases in Panama, 1201; root deterioration of alfalfa in Oregon, 622
- Survey, aerial, for Dutch elm disease, 1078
- Susceptibility (see also reaction and resistance), of alfalfa varieties to *Physoderma* alfalfae, 619; bean varieties to tobacco necrosis virus, 640; crop plants and weeds to *Heterodera schachtii*, 1258; Mung bean varieties to *Heterodera glycines*, 981; pea varieties to Idaho pea streak virus, 700; to peach ring spot virus of cucumber increased by soaking cotyledons in water, 843; potato varieties to seed-piece decay, 546; of red clover varieties to diseases in Wisconsin, 782; strawberry seedlings to viruses, 1247; to tobacco mosaic virus of bean leaves increased when soaked in water, 841; of tomato to Fusarium wilt, effect of *Meloidogyne incognita acrita* on the, 972
- Sweetpotato: black rot, 1265; bluestem, 1265; feathery mottle (virus), whitefly in Maryland, 712; internal cork (virus), 1070; scurf, 1265
- Symphytum peregrinum*: *Stemphylium* sp., 1st rept. on this host (New York), 1050
- Synergism, delayed, of bacterial blight and bean mosaic of *Phaseolus vulgaris*, 133
- Tagetes erecta*: blight, new host (India), 670
- Talc, 544
- Tar spot, of corn, 673
- Target spot, of soybean, 504
- Tartaric acid, 936
- Taxodium distichum*: "pecky" cypress, 806
- Taxus* spp.: die-back and root rot, 814
- TBCS, 726
- TCNA, 881
- Technique, for assessing leaf coverage with zinc fungicides, 115; for determining the fungicidal value of treatments against *Phytophthora* spp., 833; for mounting roots to be photographed, 403
- Techniques: electric auger for nematological soil sampling in orchards, 918; for making rapid photomicrographs, 659; pressure injection of chemicals for action against nematodes infecting citrus, 451
- Telone, 309, 787
- Tenac, 873
- Tennessee, 981, 1059
- Tennessee tribasic copper sulfate, 193
- Terraclor, 9, 745, 881
- Terramycin, 81, 549
- Terramycin hydrochloride, 404
- Tetranychus telarius*, 878
- Tetylenchus* sp., 331
- Texas, 86, 165, 227, 411, 777, 943, 999, 1011, 1070, 1198
- Thea sinensis*: *Cercospora theae*, 668
- Thiamine, 439
- Thielavia* spp., 930
- Thielaviopsis*, 871
- *basicola*, 506, 929, 931, 1027
- Thimet, 745
- Thimet 44D, 558

- Thiram, 90, 494, 566, 646, 881, 898, 955
 Thylate, 395, 646
Tillandsia usneoides: control by spraying dormant pecan trees with copper sulfate and calcium arsenate, 960
Tilletia caries, 9, 343, 501
 --- *contraversa*, 9
 --- *foetida*, 343, 616
 Tobacco (see also *Nicotiana*): anthracnose, 1264; blackshank, 1264, chemical soil drenches for control, phytotoxic effects on, and toxicity to other soil flora, 755; blue mold, 1264; curly top (virus) 1st rept. in Maryland and North Carolina, 682, in Virginia, 155; diseases in Panama, 1203; granville wilt, 1264; hollow stalk, 1264; lightning injury, 1264; mosaic virus, 65, 126, control of contact transmission with milk, 152; necrosis virus, 126; nematodes, 1264; nutrient deficiency, 1264; *Pythium* sp., 1264; soreshin, 1264; southern blight, 444; sun scald, 1264; virus infections, 1264; wildfire, 753
 Tomato (see also *Lycopersicon*): *Alter-naria* leaf spot, 55; anthracnose, 58, 732, control in relation to gallage and fungicide applicators, 719; bacterial canker, 66; bacterial spot, 193, 1265, evaluation of spray materials for control of, 725; blossom-end rot, 193; collar rot, 55; 2,4-D injury, 1265; damping-off, 503; *Didymella* canker, 59; diseases in Panama, 1203; early blight, 503, 1265, control by extract of garlic spray, 276, control in relation to gallage and fungicide applicators, 719; effect of residue on bean root-rot pathogens, 1027; frost resistance, 60; fruit rots, 187, 949; fungi and rots in canning tomatoes, 187; fungicide testing on the west coast of Florida, 193; *Fusarium* wilt, 60, 503, 1265, effect of *Meloidogyne incognita* acrita on susceptibility, 972; ghost spot, 1265; *Gibberella* fruit rot, 446; gray leaf spot, 193, 732; gray mold, 1265; *Heterodera schachtii*, susceptibility to, 1196; late blight, 62, 193, 503, 1265; leaf mold, 59, 947, 949; maneb injury to seedlings grown under glass, 729; *Meloidogyne* spp., 62, 309; *M. incognita* acrita control in Maryland with DBCP-fertilizer mixtures, 1231; *M. incognita incognita*, soil fumigants for control, 1100; mosaic (virus), 62, 1265; nematodes, 1265, effect on nutrient status of, 791; *Oidiopsis taurica*, 222; *Oidium*, 66; *Phoma* black spot, 61; potato virus Y, in south Florida, 710; root knot, effect of addition of organic amendments to soil on, 1059; *Sclerotinia sclerotiorum* in Argentina, 421; screening wild species for disease resistance, 55; *Septoria* leaf spot, 63, 947; soil rot, as influenced by former pasture crops, 818; southern blight, effect of soil fumigation on prevalence of, 444; spotted wilt virus, 126; *Stemphylium* blight, 63; tobacco etch (*Marmor erodens*), 64; tobacco mosaic virus, control of contact transmission with milk, 152; *Verticillium albo-atrum*, 65, 821; *Xanthomonas vesicatoria*, 1153
 Toxicity, of oak heartwood to *Ceratocystis fagacearum* due to tartaric acid, 936
Toxoptera graminum, 1052
 Treatment, of boxes for control of rots of apples and peaches, 396; forage legume seed with fungicides in the South, 1016
Trialeurodes abutilonea, 712
 Triasan, 344
 Tribasic copper, 70, 444
 Tribasic copper sulfate, 491, 733
Trichoderma sp(p.), 22, 660, 760, 931
 --- *viride*, 405
Trichodorus sp(p.), 44, 237, 331, 790, associated with crown blight of cantaloupe, 1073
 --- *christiei*, 257, 312, 791
 --- *porosus*, 257
Trichothecium roseum, 396
Tridens albenscens: nematode species associated with, 229
 --- *pulchellus*: *Curvularia lunata*, 871; *Fusarium acuminatum*, 871
Trifolium spp.: anthracnose, 1265; crown and stem rot, 1265; leaf spot, 1265; virus diseases, 1265
 --- *alexandrinum*: *Meloidogyne javanica*, 1051
 --- *pratense*: bacterial blight, 786; black-patch, 786; blackstem, 784; sooty blotch, 786; *Cercospora* leaf spot, 784; *C. zebrina*, 1111; *Colletotrichum destructivum*, 1111; *C. trifolii*, 1111; crown and root rot, 785; crown and root rot, root feeding insects associated, 1114; *Curvularia trifolii*, (New Hampshire) 1st rept. from New England, 1111; *Cymadothea trifolii*, 1111; *Erysiphe polygoni*, 1111; *Fusarium oxysporum*, 1111; *Kabatiella caulivora*, 1111; *Meloidogyne javanica*, 1051; northern anthracnose, 782; powdery mildew, 782; *Pseudopeziza* leaf spot, 785; *Pseudopeziza trifolii*, 1111; *Pseudoplea trifolii*, 1111; *Rhizoctonia solani*, 1111; *Rho-*

- dotorula glutinis* var. *rubescens*, 1111; ring spot, 1051; root knot nematodes, selection for resistance, 318; rust, 784; *Sclerotinia trifoliorum*, 1111; *Stagonospora meliloti*, 1111; *Stemphylium* leaf spot, 784; *Stemphylium sarcinaeforme*, 1111; *Uromyces trifolii* var. *fallens*, 1111; vein mosaic (virus), 1219; virus diseases, 785
- Trifolium repens*: *Alternaria tenuis*, 1111; *Cercospora zebrina*, 1111; *Cladosporium* sp., 1111; *Curvularia trifolii*, 1111; *Cymadothea trifolii*, 1111; *Erysiphe polygoni*, 1111; fungi associated with stolons, 22; *Fusarium oxysporum*, 1111; *Leptodiscus terrestris* (New Hampshire), 1st rept. from New England, 1111; *Mucor* spp., 1111; *Penicillium* spp., 1111; *Pseudopeziza trifolii*, 1111; *Pseudoplea trifolii*, 1111; *Pythium* sp., 1111; *Rhizoctonia solani*, 1111; *Rhizopus nigricans*, 1111; *Rhotorula glutinis* var. *rubescens*, 1111; root knot nematodes, selection for resistance, 318; *Sclerotinia trifoliorum*, 1111; *Sclerotium bataticola* (New Hampshire), 1st rept. from New England, 1111; *Stagonospora meliloti*, 1111; *Stemphylium trifolii*, 1111; *Uromyces nerviphilus*, (New Hampshire), 1st rept. from New England, 1111; *Uromyces trifolii* var. *trifolii-repentis*, 1111
- *resupinatum*: leaf sooty blotch, 1051
- Trigonella foenum graecum*: *Ascochyta* leaf spot, 1051; *Cercosporina* leaf spot, 1051
- Trinidad, 1229
- Triton B-1956, 562, 873
- Trophurus* sp., 331
- Trunk lesion, of sweetgum, 942
- Tween 20, 753
- Twist disease, of wheat, 1264
- Tylenchinae*, 44
- Tylenchorhynchus* sp(p.), 237, 332, 790, associated with crown blight of cantaloupe, 1073
- *acutus*, 227
- *brevidens*, 227
- *claytoni*, 312
- *martini*, 33
- Tylenchus* sp(p.), 43, 44, 237, 332
- *brachyurus*, see *Pratylenchus brachyurus*
- *semipenetrans*, 43, 968
- *spiralis*, see *Helicotylenchus spiralis*
- Ulex europaeus*: *Armillaria mellea*, 1270, 1st rept. on this host (Calif.), 1270
- Ulmus* spp.: chemical injury, 1078; *Dothiorella* sp., 1078; Dutch elm disease, 511, 1078, moisture chamber technique for culturing elm specimens, 1195; *Verticillium* sp., 1078
- *alata*: phloem necrosis (virus), 1245; *Uncinula macrospora* in Illinois, 499
- *americana*: elm scorch (graft transmissible virus), 519; *Septogloeum profusum* in Illinois, 499
- Urea-formaldehyde, 633, 1025
- Uredinopsis pteridis*, 412
- Urena lobata*: nemas recovered from "pulled and treated" areas, 42
- Urocystis agropyri*, 881
- *cephalae*, 880
- *colchici*, 880
- *tritici*, 126, 1051
- Uromyces nerviphilus*, 1111
- *phaseoli*, 129, 276, 502
- --- var. *typica*, 140, 431
- *striatus* var. *medicaginis*, 501
- *trifolii*, 784
- --- *fallens*, 1111
- --- *trifolii-repentis*, 1111
- Ustilaginoidea virens*, 500
- Ustilago* spp., 501
- *avenae*, 343, 616, 1143
- *bullata*, 617, 1268
- *hordei*, 343
- *kolleri*, 343, 616
- *maydis*, 334, 500, 1271
- *nigra*, 616
- *nuda*, 616, 1122, 1287
- *tritici*, 780
- Vaccinium angustifolium* var. *laevifolium*: mineral deficiency, 102
- *corymbosum*: *Fusicoccum* canker, 803; *Meloidodera floridensis*, 801
- *vacillans*: *Meloidodera floridensis*, 801
- Vancide, 348
- Vancide 51 ZW, 1016
- Vapam, 284, 444
- Vapam-4S, 1025
- Vasates dubius*, on fescue, 423
- *mckenziei*, on *Agropyron repens*, 423
- Vegetable crops: effects of storage of seeds treated with fungicides and insecticides on germination and field stands, 213; *Oidiopsis* disease in Israel, 221
- Venturia inaequalis*, 483, 540
- Vermont, 295
- Verticillium* sp., on *Ulmus* spp., 1078

- (*Verticillium*) *albo-atrum*, 65, 144, 188, 369, 500, 508, 567, 584, 821, 1137, 1143, 1150, 1229
- Vicia faba*: powdery mildew, 1051; *Sclerotinia sclerotiorum* in Argentina, 421
- Vinca rosea*: Saprozoics, 44
- Virginia, 155, 353, 360, 655, 665, 683, 750, 999, 1001, 1011, 1264
- Virus diseases: bean and tobacco, effect of humidity and atmospheric pressure on virus infection of local lesions, 845; effect of virus complexes on responses of strawberry varieties, 385; evolution of viruses in roots, 538; *Phaseolus coccineus*, tests for resistance, 138; publications from 1900 to 1956, 371; quick test for Kwanzan-systemic virus in California, 534; of red clover, 785; *Trifolium* spp., 1265; virus infections of tobacco, 1264; virus tolerance of *Fragaria chiloensis*, 1130
- --- : aster yellows of flax, 501, of strawberry in nursery beds, 645
- ---: barley yellow dwarf of cereals in Ontario, 849
- ---: cachexia of Orlando tangelo, sweet and Key lime plants 1277
- ---: chlorotic spot of *Ligustrum lucidum*, 688
- ---: curly top of sugar beet, 681, tobacco, 155, 682
- ---: elm scorch of *Ulmus americana* 519
- ---: feathery mottle of sweetpotato, 712
- ---: internal cork of sweetpotato, 1070
- ---: Lambert mottle of *Prunus* spp., 1098
- ---: latent virus detected by cucumber inoculation, 594
- ---: leaf curl of Citrus, 1081
- ---: mild mottle of strawberry in nursery stocks, 695
- Virus diseases (mosaics): mosaic of alfalfa, 697, bean, 133, 502, 1108, 1265, *Carthamus tinctorius*, 501, potato, 1265, soybean, 1264, tomato, 62, 65, 1265
- ---: bromegrass mosaic of *Datura stramonium*, 690; *Poa pratensis*, 85
- ---: rosette mosaic of peach, 991
- ---: streak mosaic of wheat, 1256
- ---: sugarcane mosaic of *Sorghum*, 552
- ---: tobacco mosaic of bean, 129; tobacco, 152
- ---: tobacco mosaic-virus, characteristics of, of *Chrysanthemum*, 685
- ---: vein mosaic of red clover, 1219
- ---: yellow bean mosaic, 1221
- ---: yellow bud mosaic of peach, 989; *Prunus amygdalus*, 520
- Virus diseases: necrotic ring spot of *Prunus* spp., 993
- ---: phloem necrosis on *Ulmus alata*, 1245
- ---: Pierce's disease of grape, possible cause of elm scorch of American elm, 519
- ---: potato virus Y of pepper and tomato in South Florida, 710
- ---: punta morada of potato, 502
- ---: ring spot of peach, 82; sour cherry, 385; of stone fruits, natural spread from infected to healthy squash, 705
- ---: rubbery wood of apple, 157
- ---: savory disease of sugar beet, 681
- ---: streak of peas, 698, 1219, 1224
- ---: stunt of corn, 500
- ---: sunblotch of avocado, 1229
- ---: tobacco-etch of Tabasco pepper, 947; tomato, 64
- ---: tobacco necrosis virus of bean, 390, 640; *Cleome spinosa*, cotton and cucumber, 390; *Primula obconica*, 640
- ---: witches' broom of strawberry in Oregon, 996
- ---: xyloporosis in Florida tangelo seedlings, 1120
- ---: yellow dwarf of oats, 1052; small grains, 471
- ---: yellows of sugar beet, 1188
- Virus-like symptoms, of apple fruit abnormalities, 264
- Viruses and bacteria: microscopic openings in vector transmission of, importance of, 715
- Vitis riparia*: *Phyllosticta viticola*, 1st rept. from Illinois, 498
- Washington, 9, 133, 172, 471, 491, 594, 809, 871, 880, 993, 999
- Waterlogged soil disease, of *Euphorbia pulcherrima*, 1034
- Watermelon: anthracnose, 503, 570; diseases in Panama, 1203; downy mildew, 503; *Pellicularia rolfsii*, 1031; powdery mildew, 503; root-knot nematodes, 448, 909
- Weather 1958: Nov., 119; Dec., 289; Jan., 425; Feb. 513; March, 596; April, 674; May, 836; June, 950
- Weather: in relation to late blight in Maine, 51; relation of rainfall and temperature to late blight of potato, 295
- Weather injuries: drought injury to *Abies grandis*, *Larix occidentalis*, *Pinus contorta*, *P. monticola*, *P. ponderosa*, and *Pseudotsuga menziesii* var. *glauca*, 809; drought lodging of oats, 475; drought spot of lettuce cotyledons,

- 629; frost damage to corn, 1053; frost resistance in tomato, 60; heat canker of oats, 475; lightning injury to tobacco, 1264; sun scald of tobacco, 1264
- West Virginia, 396, 461, 588, 835, 1282
- Wheat: barley yellow dwarf virus, 849; "brown root rot", 175; bunt, 9, 501, seed treatment trials, 343; *Cephalosporium* stripe disease, 1st rept. on this host in Montana, 12; *Cercospora helminthosporiae*, 1st rept. on this host in Montana, 12; downy mildew, 501; dwarf bunt, 9; flag smut, controlled by hexachlorobenzene, 881; *Fusarium* root rot, effect of plowing methods and dates of fertilizer application on incidence of, 175; glume blotch, 1264; leaf rust, 5, 501, 606, 607, 777, 1264, physiologic races of, in United States, 998; leaf rust race identification and nomenclature, modification of system of, 613; leaf rust research workers, committee of, 613; *Meloidogyne incognita* var. *acrita*, 25; mold, effect of moisture and temperature upon mold growth and germination of stored wheat, 764; nematodes, 229, 331, 1264; rust, effect of amount of water used in application on fungicidal efficiency of a rust control chemical, 556; scab, 1264; seedling blight, 617; smut, 616, 780, 1051; sooty mold, 1264; stem rust, 5, 501, 607, 1154, 1160, 1264, epidemiology of, 601, 885; storage molds, low incidence of, 470; streak mosaic (virus), 1256; stripe rust, 159, 172, 501, 607, in Kansas, 159, South Dakota, 168, Texas, 165, 777, Wyoming, 163, 1st rept. on this host in Minnesota, 159, New Mexico, 595, North Dakota, 169; twist disease, 1264
- , Arosan: strain of *Erysiphe graminis* f. sp. *tritici* attacking, 762
- White heart rot, of *Fraxinus* sp., 1148
- Wildfire, of soybean, 946; tobacco, 753
- Wilt, of *Euphorbia pulcherrima*, 1067; *Ricinus communis*, 827
- Winter melon: root-knot nematodes, 448
- Wisconsin, 144, 239, 337, 683, 782, 983, 999, 1001, 1011, 1012, 1053, 1078, 1195, 1212, 1239
- WO 4778, 1211
- Wyoming, 163, 411, 418, 437, 999, 1023
- Xanthomonas juglandis*, 272, 276, 401
- *malvacearum*, 86, 369
- *phaseoli*, 29, 133, 502
- --- var. *sojense*, 946
- *ricinicola*, 827
- *solanacearum*, 829
- *vesicatoria*, 193, 276, 725
- Xiphinema* sp.(p.), 257, 790
- *americanum*, 227, 237, 332, 989
- *chambersi*, 332
- *diversicaudatum*, 312
- Xyloporosis, on lemon varieties in California, 528
- Yam (*Dioscorea alata*): diseases in Panama, 1203
- Yellow dwarf, of barley, 1264
- Yellow strapleaf disease, of *Chrysanthemum*, 98
- Zerlate, 487
- Zinc, 755
- Zinc EDTA, 1019
- Zinc fungicides, 115
- Zinc Omadine, 737
- Zinc sulfate, 6, 115, 193, 1019
- Zineb, 5, 70, 90, 115, 193, 201, 284, 397, 487, 491, 538, 552, 566, 658, 670, 873, 955, 1019
- Ziram, 70, 658
- Zonate leaf spot, of *Sorghum* spp., 336
- Zoysia* spp.: nematodes in Georgia turf nurseries, 237

ERRATA

- On pages 42, 43, 44, Table 2, read *Pratylenchus zeae* instead of *Pratylenchus zea*.
- On page 49, 4th line from the bottom read *Lolium multiflorum* instead of *Lolium multiflourm*.
- On page 229, 14th line from top, read *Bouteloua hirsuta* Lag. instead of *Boutelua hirsuta* Lag.
- On page 272, 1st line of Abstract and throughout the article read *Juglans mandshurica*, instead of *Juglans mandchurica*.
- On page 309, under Materials and Methods last line in 2nd paragraph read "Fumazone" instead of "Fumizone".
- On page 446, Figure 2, read Tomato fruit, instead of Tomato fr.
- On page 502, 7th paragraph under BEANS, read *Sclerotiniose* -- instead of *Sclerotinose* --.
- On page 580, last line in summary read *Stemphylium* sp., instead of *Stemphyllium* sp.; also in Table 3, page 582 read *Stemphylium* sp.
- On page 780, 1st paragraph read *P. hordei* instead of *P. hordeii*.
- On page 1137, last paragraph, 2nd line read *Acer pennsylvanicum* instead of *Acer pennsylvanicum*.

